

Appendix A.**Hanford Defined Waste List SolidsVol%**
March 1996

The Hanford Defined Waste List is a set of wastes that can be used to define all of Hanford's waste types. Implicit within each HDW is a solids and a supernatant fraction. Note that some HDW's are derived from other Defined Wastes, such as BSltCk, for example, are actually a mixture of supernatants from other waste types that have been blended to create a new waste type. The HDW's for four concentrates are derived from the evaporator campaigns from which they were formed—B, T1, R, and BY.

BiPO₄ and Uranium Recovery Wastes 1944-56

no.	waste type	vol%	comments
1	MW1	12.0	1944-49
2	MW2	12.0	1950-56
3	1C1	13.7	1944-49, includes cladding waste.
4	1C2	24.9	1950-56, includes cladding waste.
5	2C1	6.8	1944-49
6	2C2	3.4	1950-56, includes supernatants formerly cribbed at T-plant.
7	224	3.9	LaF finishing waste.
8	UR	2.8	same as TBP waste.
9	PFeCN1	3.7	Ferrocyanide scavenged UR supernatants in Plant.
10	PFeCN2	3.2	Ferrocyanide scavenged UR supernatants in Plant.
11	TFeCN	1.4	Ferrocyanide scavenged CR Vault.
12	1CFeCN	4.8	Ferrocyanide scavenged 1C supernatants.

REDOX Wastes 1952-62

13	R1	4.5	1952-57
14	R2	1.9	1958-66
15	CWR1	8.1	1952-60, aluminum clad fuel.
16	CWR2	2.9	1961-72, aluminum clad fuel with some Zr fuel

PUREX Wastes 1956-76

17	P1	2.2	1955-62
18	P2	3.9	1963-67, also called IWW, FP, including Al and Zr clad fuel for this period.
19	P2'		1968-72, assigned to P2, including Al and Zr clad fuel for this period.
20	PL1	2.2	
21	CWP1	8.1	1956-60, Al cladding
22	CWP2	2.9	1961-72, Al cladding
23	CWZr1	10.5	1968-72, Zr cladding-all Zr including Redox and 1966-1967 Zr clad fuel in Purex.
24	OWW1	0.0	1956-62, called CARB, low solids.
25	OWW2	0.0	1963-67, low solids.
26	OWW3	0.0	1968-72, low solids.
27	Z	2.3	derived from analysis of SY-102, 1,910 kgal from 1976-80 sent to TX-118, 1,656 kgal from 1981-86 sent to SY-102.

28	HS	1.2	also SSW, Strontium semiworks.
29	TH1	5.8	1966 thoria
30	TH2	5.8	1970 thoria
31	AR	3.1	"washed" P sludge. Also used to derive SRR.
32	B	0.50	acid waste from PAW, processed through B-Plant for Sr extraction.
33	BL	0.68	low level waste from all B Plant operations.
34	SRR	2.6	strontium recovery waste from sluiced P sludge—based on washed PUREX sludge plus added EDTA, HEDTA, and glycolate.
35	CSR	0.0	waste from cesium recovery from supernatants—not a characteristic waste type, but rather a supernatant from which the 137Cs has been removed. Need only to add citrate to supernatants to track this component.

Other wastes

36	DE	all	Diatomaceous earth added to six tanks.
37	CEM	all	Cement added to only one tank, BY-105.
38	NIT	no solids	Partial Neutralization Feed for evaporator campaigns '77-81.
	Salt Slurry		same as DSS, estimated from chemical model by precipitation (via evaporator). Once again, DSS derives from the supernatants of a variety of wastes following evaporation of water.

Decontamination Waste

39	DW	1.0	decontamination waste, from D&D of plants, but mainly from T Plant operations, mostly Turco residues (phenol, alkyl phosphate esters, hydroxy alkyl amines) with neutralized phosphoric acid.
40	N	1.0	N-Reactor decontamination waste, mainly neutralized phosphoric acid. Concentrates of N are CP (Concentrated Phosphate) waste, which are in AN-106 and AP-102.

Salt Cakes and Salt Slurries

41	BSltCk	Salt cake from 242-B operation, 1951-3, B-106 feed.
42	T1SltCk	Salt cake from 242-T, 1951-6, TX-118 feed.
43	RSltCk	Salt cake from self-concentration in S and SX Farms.
44	BYSltCk	Salt cake blend from ITS in BY Farm, 1965-74.

The following salt cakes were used in HDW rev. 1 and are now replaced by the SMM.

T2SltCk	Salt cake from 242-T, 1965-76, TX-118 feed.
S1SltCk	242-S campaign 1973-6, S-102 feed.
S2SltSlr	242-S campaign, 1977-80, SY-102 feed.
A1SltCk	242-A campaign, 1976-80, A-102 feed.
A2SltSlr	242-A campaign, 1981-88, AW-102 feed.

PUREX Wastes from 1983-88 Campaign

45	P3	3.9	1983-88, now called PXNAW or NCAW.
46	PL2	2.0	1983-88, now called PXMSC, among other things.
47	CWZr2 BP/Cplx83-88 BP/NCplx83-88	10.5	1983-88, now called PD or NCRW. 1983-88, was SSR, CSR, B, BL now it's all in A101. 1983-88, assigned to BL, now in AY-102
48	PASF	0.6	PUREX Ammonia Scrubber Feed, never before seen.

Appendix B.**HDW Compositions Spreadsheet**
May 1996

Among the columns are each of the forty-eight Hanford Defined Wastes (HDW's), with some other columns for former wastes or blended waste inputs. Most waste definitions begin with amount, exposure, and radionuclide content of fuel processed. The chemicals added list along with the fuel information then determines the total species. Next, the sludge and supernatant compositions, both in mol/L, are calculated based on information about the solids concentration, solids volumes, and solids fraction precipitated from the total species list. The sludge and supernatant concentrations are also provided in ppm, and finally, there is information about the volumes of supernatant feed for various evaporator and reprocessing campaigns.

The sludge and supernatant compositions are determined by the solubility of each species as well as the solids volume per cent parameter (vol% solids) that is established for each waste type. The solids precipitated are shown in later rows as molarity within sludge layer, volume of pure solids, and fraction of total species precipitated. Solubilities are set by adjusting the fraction precipitated parameter until the supernatant molarity reaches the target value. This can be performed by hand or by a macro routine that has been written to do the entire spreadsheet.

Speadsheet contents:

campaign information	B-2 to B-4
chemicals added (mol/L)	B-5 to B-7
species total concentration (mol/L)	B-8 to B-10
sludge species (mol/L)	B-11 to B-13
supernatant species (mol/L)	B-14 to B-16
solids concentration in layer (mol/L)	B-17 to B-19
solids volumes (cc/L)	B-20 to B-22
solids fraction precipitated	B-23 to B-25
sludge concentration (ppm)	B-26 to B-28
supernatant concentration (ppm)	B-29 to B-31
supernatant volumes to evaporator campaigns (kgal)	B-32 to B-34

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1
st.date	1944	1950	1944	1950	1944	1950	1952	1952	1955	1955	1955	1955	1952	1952	1961	1956	1963	1968	1968	1956	1961	1968	
en.date	1949	1956	1949	1956	1949	1956	1956	1958	1958	1958	1958	1958	1967	1960	1967	1962	1967	1972	1976	1960	1967	1972	
short tons fuel	3,676	4,904	3,676	4,904	3,676	4,904							11,905	9,554	13,660	7,799	30,236	27,016	16,449	16,449	18,141	54,583	977
kgal waste input								35,574															
volume factor								0.65	0.37	0.58	0.33												
kgal waste out	15,325	20,551	11,767	16,531	8,962	22,727	8,300	23,090	13,179	20,537	11,602	3,818	25,067	10,690	2,975	1,752	26,502	10,208	397	1,325	6,276	22,286	1,650
gal/ton	4,169	4,191	3,201	3,371	2,438	4,634		6,621	total waste rate				2,106	1,119	218	225	877	378	24	81	346	408	1,689
	35,876		28,298																				
avg. MWD/T	232	439											661	661	661	661	661	923		661	687	1600	
g Pu-239*/MWD	0.76	0.76											0.76	0.76	0.76	0.76	0.76	0.64		0.76	0.76	0.64	
kg Pu-239*	648	1,636											5,981	4,800				15,189	13,572	9,717	9,113	28,499	1,000
Pu* ex. %	99	99	99	98.6	98.6	99	99.6						99.6	99.6	99.6	99.6	99.6	99.6	99.6	99.6	99.6	99	
res. kg Pu-239*	6.48	16.36	6.48	22.91	9.07	16.36	6.54	7.43	4.24	6.61			23.92	19.20	43.12	19.20	60.76	54.29	38.87	36.45	114.00	10.00	
Pu-239* µCi/L	6.82	12.83	8.88	22.33	16.32	11.60	12.71	5.18	5.18	5.18			15.38	28.94	233.59	176.60	36.95	85.71	525.41	93.61	82.44	97.72	
(* Pu-239 is U-233 for TH waste)																							
then																							
MCi Cs-137	2.48	6.25											22.84	18.33	26.20	14.96	58.00	51.83	37.10		34.80	108.83	3.82
MCi Sr-90	2.14	5.40											19.72	15.83	22.63	12.92	50.09	44.76	32.05		30.05	93.99	3.30
kCi Tc-99	0.30	0.76	0.00	0.00	0.00	0.00							2.76	2.22	3.17	1.81	7.01	6.26	4.48	0.00	4.21	13.15	0.46
Ci I-129	0.61	1.54											5.62	4.51				14.28	12.76	9.14			
1994																							
MCi Cs-137	0.83	2.44											9.33	9.00	10.95	7.51	25.98	26.64	21.39		15.23	54.66	2.20
MCi Sr-90	0.66	1.96											7.54	7.37	8.86	6.16	21.13	21.89	17.73		12.37	44.84	1.83
	1.19	0.00	0.01	0.02	0.00	0.00	0.00	2.11	0.17	0.27	0.00	0.00	3.23	1.38	0.04	0.02	3.41	1.31	0.00	0.13	0.05	0.18	0.01
	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.01	0.00	0.00	4.76	5.98	0.00	0.00	0.12	4.20		0.00	0.00	0.00	0.00
kgal solids	1839	2466	1612	4116	609	773	324	647	403	719	156	183	1128	203	241	51	583	398	15	43	508	646	173
vol% solids	12	12	13.7	24.9	6.8	3.4	3.9	2.8	3.7	3.2	1.4	4.8	4.5	1.9	8.1	2.9	2.2	3.9	3.9	2.2	8.1	2.9	10.5
uncertainty			2.6	1.1	2	1							3	1.3	1.4	0.5	1.7	3	3		1.4	0.5	1
kgal solids left	736		1731.9	1406.9	762.24	821.51	322	636	359	437	112	119	1206	202	241	51	4	81	0	14	366	598	40
			2387.9	kgal lost to B and T1																			
	MW1	MW2	IC1	IC2	2C1	2C2	224	UR	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1

	24	25	26	27	28	29	30	31	32	33					36	37	38		39	40
	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N	
st.date	1956	1963	1968	1974	1962	1966	1970	1967	1967	1967	1969	1967	1967	1970	1977	1977	1967	1967	1976	
en.date	1962	1967	1972	1988	1967	1966	1970	1976	1972	1976	1976	1976	1976	1972	1977	1980	1976	1976	1990	
short tons fuel	30,236	27,016	16,449			191	390		16,449											
kgal waste input								7,826			801	21,744	21,744				640	19,244	5,737	1,814
volume factor											4.81		1.16					0.85		
kgal waste out	4,543	10,563	8,094	1,656	1003	927	428	5,796	10,569	14,845	3,854		25,321	254	8	640	16,357	8,805	2,157	
gal/ton	150	391	492	only SY-102		4,853	1,097		643											
				1,910 to TX-118											BX-102	BY-105				
avg. MWD/T						1.7	1606									SX-113				
g Pu-239*/MWD						0.74	0.74									U-104				
kg Pu-239*						0.2403	463.49									TX-116				
Pu* ex. %						99.6	99.6									TX-117				
res. kg Pu-239*				57.9		0.001	1.854		25.924		127.99					TY-106				
Pu-239* μ Ci/L				563.48		0.0026	10.872		6.1565		83.351									
(* Pu-239 is U-233)						(* Pu is U-233 for TH waste)														
then																				
MCi Cs-137								0.00	1.77											
MCi Sr-90								0.00	1.53											
kCi Tc-99								0.00	0.21											
Ci I-129								0.00	0.44											
1994																				
MCi Cs-137								0.00	1.02	0.22	12.80	0.00	0.71	51.83	4.66					
MCi Sr-90						0.95	0.00	0.85	8.24	4.05	3.69	4.43								
	0.00	0.00	0.00			0.93	0.00	0.06	0.75	1.36	1.91	1.33		6.70						
	0.00	0.00	0.00			0.82	0.00	0.79	7.43	2.65	1.78	3.16		0.00	20.95					
kgal solids	27	116	49	82	12	54	25	180	53	101	100			253	254	8				
vol% solids	0.6	1.1	0.6	2.3	1.2	5.8	5.8	3.1	0.5	0.68	2.6	2	1			0				
uncertainty																				
kgal solids left						82	12	54	25	166	23	100	101		7					
	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR		CSR				DW	N		

		41		42		43			44										45	46	47			48			
	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltCk	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	A2-SltSlr	P3	PL2	CWZr	BP	BP				
st.date	1951	1951	1951	1951	1952	1952	1965	1965	1965	1965	1973	1973	1977	1977	1977	1977	1981	1981	1983	1983	1983	1983	1983	PASF			
en.date	1955	1955	1955	1955	1965	1965	1976	1976	1974	1974	1976	1976	1980	1980	1980	1980	1989	1989	1988	1988	1988	1983	1983	1983			
short tons fuel																					4,302	4,302	4,302				
kgal waste input	8,078	8,078	11,918	11,918	15,743	15,743	43,311	43,311	36,602	36,602	43,709	43,709	9,105	9,105	16,476	16,476											
volume factor	0.55	0.55	0.56	0.56	0.49	0.49	0.25	0.25	0.22	0.22	0.26	0.26	0.39	0.39	0.28	0.28											
kgal waste out	4,445	4,445	6,675	6,675	7,706	7,706	10,828	10,828	8,124	8,124	11,364	11,364	3,562	3,562	4,668	4,668					1,132	11,499	5,555	1,044	6,841	4,227	
gal/ton																					263	2,673	1,291	243	1,590	983	
avg. MWD/T																					1,163	1,163	1,163				
g Pu-239*/MWD																					0.74	0.74	0.74				
kg Pu-239*																					3,702	3,702					
Pu* ex. %																					99.6	99					
res. kg Pu-239*	0.7163	0.8247		9.7324		45.934		43.438		50.824		12.922		18.237		0	14.81					37.02					
Pu-239* μ Ci/L																				210.85		107.42					
(* Pu-239 is U-235)																											
then																											
MCi Cs-137																					14.14	14.14	14.14				
MCi Sr-90																					12.21	12.21	12.21				
kCi Tc-99																					1.71	1.71	1.71	0.00	0.00		
Ci I-129																					3.48						
1994																											
MCi Cs-137																					11.63	11.63	11.63				
MCi Sr-90																					9.90	9.90	9.90				
kgal solids	786	764		1065		5997		3978		6270		3243		2125		895	44	230	583	83	32	25.362					
vol% solids	9.73	6.41						10.87		14.34				12.90			3.9	2	10.5	7.9502	0.4678	0.6					
uncertainty																				1	0.6	2					
kgal solids left	855	767		1065		5997		3978		6270		3243		2125		895	44	192	583	83	32	25.362					
	964.65	1423.2	IC2 solids input																								
		BSltCk		T1SltCk		RSltCk		T2SltCk		BYSltCK		S1SltCk		S2SltSlr		A1SltCk		A2AltSIP3		PL2		CWZr2	ass.SRR	ass.BL	PASF		

	FMJ	FMJ	FMJ	FMJ	Lucas	HW-30399	HW-30399	B&S	B&S	CUWP	CUWP	FMJ	CUWP	FMJ	CUWP	FMJ	FMJ	FMJ	FMJ	FMJ	FMJ	FMJ	
chemicals in mol/L	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1
HNO ₃	0.1	0.1	0.5	0.5	1.15	0.605	1.06	3.3	3.3	3.3	2.3	0.5	2.3	4	0.8	0.8	0.28	0.55	0.55	2.7	0.6	0.6	0.01
NaAlO ₂			0.233	0.233							0.02828	0.1864	0.65	1.13	2	0.78					1.2	0.78	
Al(NO ₃) ₃																							
Fe(HSO ₄) ₂			0.03	0.03	0.024	0.0126			0.03	0.014	0.014		0.002	0.0075	0.013			0.0198	0.0774		0.026		
Fe(NO ₃) ₃	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016				0.04	0.04	0.0152	0.0152	0.04	0.04	0.04	0.04	0.0152	0.0152
NaCrO ₄	0.0032	0.0032	0.0052	0.0052	0.0042	0.0054	0.0041	0.0032	0.0032	0.0032		0.002	0.068	0.113	0.003	0.003	0.008	0.008	0.008	0.008	0.003	0.003	0.00304
BiPO ₄			0.014	0.014	0.01	0.0053	0.0062		0.013	0.013		0.014											
ZrO(OH) ₂			0.004	0.004							0.004												0.1
NiSO ₄	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.005	0.005	0.01	0.01	0.004	0.004	0.0015	0.0015	0.004	0.004	0.004	0.0015	0.0015	0.00152	
NaOH	0.1412	0.1412	0.89	0.6712	1.3062	0.7383	1.2912	3.4512	3.6112	3.6012	2.34	0.84	2.11	3.888	0.4386	0.6786	0.628	1.128	0.328	2.943	0.2786	0.4786	0.24864
NaNO ₂			0.174	0.174							0.17	0.17			1.4	0.28	0.01	0.01	0.01	0.01	0.78	0.28	0.007
Na ₂ CO ₃	0.6	0.7	0.0181	0.0181	0.0182	0.0181	0.0182	0.2	0.01843	0.018432	0.021	0.009	0.0183	0.0185	0.0181	0.0181	0.0181	0.0181	0.018	0.018353	0.018	0.0181	0.01803
Na ₃ PO ₄	0.18	0.18	0.3	0.32	0.2	0.1052	0.043	0.13	0.13	0.13	0.13	0.150065								0.096			
Na ₂ SO ₄	0.21	0.21						0.08	0.15	0.15													
Na ₂ SiO ₃	0.004	0.004			0.037	0.0195							0.0147	0.0424	0.03		0.0469	0.0921			0.02		
Na ₂ SiF ₆			0.038	0.038					0.035	0.035		0.038											
NaF					0.22	0.1157	0.31																0.77
NaCl	0.0032	0.0032	0.0205	0.0154	0.03	0.017	0.0297	0.10238	0.08306	0.082828	0.05382	0.01932	0.0485	0.0894	0.0101	0.0156	0.0144	0.0259	0.0075	0.067689	0.0064	0.011	0.00572
Na ₂ S											0.006	0.006											
La(NO ₃) ₃						0.015																	
Hg(NO ₃) ₂		2E-05	2E-05												0.0003	0.0003					0.0002	0.0002	0.00022
KNO ₃	0.0007	0.0007	0.0045	0.0034	0.0065	0.0037	0.2665	0.01726	0.01806	0.018006	0.0117	0.0042	0.0106	0.0194	0.0022	0.0034	0.0031	0.0056	0.0016	0.014715	0.0014	0.0024	0.22124
Ca(NO ₃) ₂	0.018	0.018	0.0181	0.0181	0.0182	0.0181	0.0182	0.01841	0.01843	0.018432	0.02	0.02	0.0183	0.0185	0.0181	0.0181	0.0181	0.0181	0.018	0.018353	0.018	0.0181	0.01803
KMnO ₄						0.0046																	
Sr(NO ₃) ₂						0.063																	
PbSO ₄															0.011	0.011				6.00E-05	0.011	0.011	
H ₃ C ₆ H ₅ O ₇																							
H ₄ EDTA																							
H ₃ HEDTA																							
Glycolate																							
Hacetate																							
H ₂ Oxalate						0.03																	
Na ₄ Fe(CN) ₆							0.005	0.0025	0.005	0.005													
NH ₃																							0.77
Pu (μCi/L)	10.26	8.88	22.33	16.32	11.60	12.71	4.01267	1.87	1.87		23.56	15.38	28.94	233.59	176.60	36.95	85.71		154	93.61	82.44	97.72	
U (M)	0.2421	0.2408	0.0008	0.0007	0.0001	5E-05	0.0078	0.0078	0.0078	0.0078	0.00079	0.0048	0.009	0.0185	0.018	0.0046	0.0107		0.0117	0.0099	0.00239		
Cs (Ci/L)	0.0022	0.0168	0.0351	0.0002	0.0003		0.00106	4.93E-04	4.93E-04	0.025	0.035069	0.10	0.22	0.0039	0.0045	0.259	0.6894		0.03	0.0026	0.0026	0.00141	
Sr (Ci/L)	0.0189	0.0001	0.0003	1E-05	6E-05		0.02403	3.44E-03	3.44E-03		0.000314	0.08	0.18	0.0031	0.0037	0.2106	0.5665		0.026	0.0021	0.0021	0.00117	

	FMJ	FMJ	HW-30399		HS report	from P	from P	from P	FMJ	FMJ	from P		fr/P	WHC-MR-0302	type 1 Portland Cement	FMJ	model	Lucas	Lucas	
chemicals in mol/L	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N	
HNO3	0.073	0.22	0.782	3.5	0.86	2.57	2.57				0.6					0.8	2.8			
NaAlO2				0.5		0.34	0.34										2.2			
Al(NO3)3											0.083	0.56								
Fe(HSO4)2				0.0007	0.03	0.025	0.025		0.007	0.017	0.041									
Fe(NO3)3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04									0.04	0.04		
NaCrO4	0.008	0.008	0.008	0.0094	0.008	0.008	0.008	0.008	0.002	2E-07	0						0.008	0.008		
BiPO4																				
ZrO(OH)2																				
NiSO4	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.002	0.01	0						0.004	0.004		
NaOH	0.2	0.3	0.928	3.628	2.138	2.758	2.758	0	0.5524	2.6944	2.7112		0.2			0.3	3.2	0.138	0.138	
NaNO2	0.01	0.01	0.01	0.014	0.01	0.01	0.01	0.01		0.01	0.01	0.01		0.01			4.05	0.024	0.014	
Na2CO3	0.22	0.4	0.3041	0.2	0.0049	0.0183	0.0183	0.0018	0.0101	0.27	0.25		2E-05			1	0.011	0.011		
Na3PO4				0.0001		0.09	0.09	0.02		0.01							0.1		0.36	
Na2SO4				0.0014				0.02			0.02						0.03			
Na2SiO3								0.08	0.04	0.05	0.08									
Na2SiF6																				
NaF						0.12	0.12										0.06			
NaCl	0.0046	0.0069	0.0213	0.1144	0.0492	0.0634	0.0634	0	0.0127	0.062	0.0624		0.0046			0.5	0.0032	0.0032		
Na2S																				
La(NO3)3																				
Hg(NO3)2																				
KNO3	0.001	0.0015	0.0046	0.0181	0.0887	0.0278	0.0278	0	0.0028	0.0135	0.0136		0.001				0.016	0.0007	0.0007	
Ca(NO3)2	0.01802	0.01804	0.0181	0.0184	0.0049	0.0183	0.0183	0.0018	0.0101	0.0103	0.0123		2E-05					0.018	0.018	
KMnO4		0.012	0.0009													0.0013				
Sr(NO3)2					0.0034				1E-06											
PbSO4					0.04				0.01	0.015		0.025								
H3C6H5O7					0.08						0.15									
H4EDTA											0.3	4E-05								
H3HEDTA																				
Hglycolate									0.2	0.3										
Hacetate					0.51															
H2oxalate																				
Na4Fe(CN)6																				
NH3																				
Pu (μCi/L)				625				300	132	65	127.99		61.685				0			
U (M)						0.0021	0.0094		0.0063	0.0078	0.03		0							
Cs (Ci/L)						0.0001	0.6298	0.01	0.32		0.0487		0.0487				0.5			
Sr (Ci/L)					0.25	0.0001	0.522	0.3757	0.1861	0.0657	0.3038		0.0697				0.005			

chemicals in mol/L	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltC k	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	A2-SltSlr	P3	PL2	CWZr 2	BP/ Cplx	BP/ NCplx	PASF	
HNO3	0.03		0.03																0.41	0.1	0.01				
NaAlO2																			0.34						
Al(NO3)3																									
Fe(HSO4)2																			0.0674						
Fe(NO3)3																			0.05	0.04	0.04			0.01	
NaCrO4																				0.008					
BiPO4																									
ZrO(OH)2																				0.1					
NiSO4																			0.004						
NaOH	0.09		0.09		0.04		0		0		0		0		0		0		2.2	0.17	0.2			0.04	
NaNO2																			0.01	0.01	0.007				
Na2CO3													0						0.0183	0.12	0.018			0.0095	
Na3PO4																				0.0695					
Na2SO4																									
Na2SiO3																			0.0921						
Na2SiF6																									
NaF																			0.03		0.77				
NaCl																			0.0506	0.0039	0.0046			0.0009	
Na2S																									
La(NO3)3																									
Hg(NO3)2																				0.0002					
KNO3																			0.011	0.0009	0.221			0.0002	
Ca(NO3)2																			0.0183	0.018	0.018			0.018	
KMnO4																				0.006					
Sr(NO3)2																					4E-05				
PbSO4																									
H3C6H5O7																									
H4EDTA																									
H3HEDTA																									
Glycolate																									
Hacetate																									
H2oxalate																									
Na4Fe(CN)6																				0.77					0.05
NH3																									
Pu (μCi/L)	8.0261	14.586	9.8518	17.59	22.291	45.54	19.222	76.89	21.902	98.676	20.791	79.965	23.831	60.915	21.579	76.163	0	0	210.85	4.6411	107.42				
U (M)																			0.0384	#####	0.0031				
Cs (Ci/L)	0.0095	0.0172	0.0097	0.0173	0.1448	0.2959	0.0652	0.2607	0.0432	0.1947	0.0896	0.3447	0.224	0.5725	0.1188	0.4192	0	0	2.7149	0.03	0.0022				
Sr (Ci/L)	0.0121	0.0219	0.0127	0.0227	0.0321	0.0656	0.0251	0.1004	0.018	0.081	0.0326	0.1254	0.0239	0.061	0.022	0.0777	0	0	2.3108	0.026	0.0019				

species mol/L	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1	
Na	2.3156	2.5156	2.3349	2.171	2.2708	1.2672	1.8003	4.50678	4.51432	4.494092	3.0561	1.793916	2.9425	5.3422	3.9479	1.7935	0.7905	1.3925	1.0043	3.353395	2.3442	1.5888	1.07046	
Al	0	0	0.233	0.233	0	0	0	0	0	0	0.02828	0.1864	0.65	1.13	2	0.78	0	0	0	0	1.2	0.78	0	
Fe	0.016	0.016	0.046	0.046	0.04	0.0286	0.016	0.046	0.03	0.03	0	0.002	0.0475	0.053	0.0152	0.0152	0.0598	0.1174	0.04	0.066	0.0152	0.0152	0.0152	
Cr	0.0032	0.0032	0.0052	0.0052	0.0042	0.0054	0.0041	0.0032	0.0032	0.0032	0	0.002	0.068	0.113	0.003	0.003	0.008	0.008	0	0.008	0.003	0.003	0.00304	
Bi	0	0	0.014	0.014	0.01	0.0053	0.0062	0	0.013	0.013	0	0.014	0	0	0	0	0	0	0	0	0	0	0	
La							0.015																	
Hg	0	0	2E-05	2E-05	0	0	0	0	0	0	0	0	0	0	0.0003	0.0003	0	0	0	0	0	0.0002	0.0002	0.00022
ZrO(OH)2	0	0	0.004	0.004	0	0	0	0	0	0	0	0.004	0	0	0	0	0	0	0	0	0	0	0	0.1
Pb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.011	0.011	0	0	0	0.00006	0.011	0.011	0	0
Ni	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.005	0.005	0.01	0.01	0.004	0.004	0.0015	0.0015	0.004	0.004	0	0.004	0.0015	0.0015	0.00152	
Sr							0.063																	
Mn	0	0	0	0	0	0	0.0046	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ca	0.018	0.018	0.0181	0.0181	0.0182	0.0181	0.0182	0.01841	0.01843	0.018432	0.02	0.02	0.0183	0.0185	0.0181	0.0181	0.0181	0.0181	0.018	0.018353	0.018	0.0181	0.01803	
K	0.0007	0.0007	0.0045	0.0034	0.0065	0.0037	0.2711	0.01726	0.01806	0.018006	0.0117	0.0042	0.0106	0.0194	0.0022	0.0034	0.0031	0.0056	0	0.014715	0.0014	0.0024	0.22124	
balance	0	0	0	-4E-16	-9E-16	2E-16	4E-16	-1.8E-15	-9E-16	-8.9E-16	4.4E-16	-8.9E-16	-2E-15	0	2E-15	9E-16	-2E-16	0	0	9E-16	0	2.2E-16		
density																								
vol%solids	12	12	13.7	24.9	6.8	3.4	3.9	2.8	3.7	3.2	1.4	4.8	4.5	1.9	8.1	2.9	2.2	3.9	3.9	2.2	8.1	2.9	10.5	
void frac.	0.3577	0.2292	0.6948	0.7906	0.7704	0.9437	0.8339	0.91417	0.93451	0.923005	0.89558	0.925071	0.7988	0.5737	0.6508	0.7629	0.8413	0.8077	0.7832	0.861767	0.8339	0.7631	0.85731	
species																								
OH	1.5064	1.4989	1.1055	0.8865	0.1496	0.1427	0.2106	0.1808	0.1468	0.1368	0.19991	0.884338	2.7033	4.9011	7.762	3.1186	0.3878	0.5967	0.3646	0.249	4.5608	3.0701	0.66514	
NO3	0.1847	0.1847	0.5887	0.5876	1.2408	0.6928	1.5818	3.40208	3.40292	3.40287	2.3517	0.5442	2.4671	4.1764	0.8846	0.8858	0.4393	0.7119	0.7077	2.871421	0.6835	0.6845	0.31334	
NO2	0	0	0.174	0.174	0	0	0	0	0	0	0.17	0.17	0	0	1.4	0.28	0.01	0.01	0.01	0.01	0.78	0.28	0.007	
CO3	0.6	0.7	0.0181	0.0181	0.0182	0.0181	0.0182	0.2	0.01843	0.018432	0.021	0.009	0.0183	0.0185	0.0181	0.0181	0.0181	0.0181	0	0.018353	0.018	0.0181	0.01803	
PO4	0.18	0.18	0.314	0.334	0.21	0.1105	0.0492	0.13	0.143	0.143	0.13	0.164065	0	0	0	0	0	0	0	0.096	0	0	0	
SO4	0.2116	0.2116	0.0616	0.0616	0.0496	0.0269	0.0016	0.1416	0.183	0.183	0.016	0.02	0.019	0.03	0.0125	0.0125	0.0436	0.1588	0.2348	0.05606	0.0125	0.0125	0.00152	
SiO3	0.004	0.004	0.038	0.038	0.037	0.0195	0	0	0.035	0.035	0	0.038	0.0147	0.0424	0.03	0	0.0469	0.0921	0.0921	0	0.02	0	0	
F	0	0	0.228	0.228	0.22	0.1157	0.31	0	0.21	0.21	0	0.228	0	0	0	0	0	0	0	0	0	0	0.77	
Cl	0.0032	0.0032	0.0205	0.0154	0.03	0.017	0.0297	0.10238	0.08306	0.082828	0.05382	0.01932	0.0485	0.0894	0.0101	0.0156	0.0144	0.0259	0	0.067689	0.0064	0.011	0.00572	
C6H5O7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
EDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HEDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
glycolate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
acetate																								
oxalate	0	0	0	0	0	0	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
DBP							3E-05																	
butanol							3E-05																	
NH3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.77	
Fe(CN)6----	0	0	0	0	0	0	0	0	0.005	0.0025	0.005	0.005	0	0	0	0	0	0	0	0	0	0	0	
Pu-239 (µCi/L)	10.262	0	8.8772	22.332	16.318	11.602	12.708	4.01267	1.86574	1.86574	0	23.55986	15.38	28.943	233.59	176.6	36.947	85.708	0	154	93.609	82.437	97.718	
U-238 (M)	0.2421	0.2408	0.0008	0.0007	0.0001	5E-05	0	0.0078	0.0078	0.0078	0.00079	0.0048	0.009	0.0185	0.018	0.0046	0.0107	0.037	0	0.0117	0.0099	0.00239		
Cs-137 (Ci/L)	0.0022	0	0.0168	0.0351	0.0002	0.0003	0	0.00106	0.00049	0.000493	0.025	0.035069	0.0983	0.2224	0.0039	0.0045	0.259	0.6894	0	0.03	0.0026	0.0026	0.00141	
Sr-90 (Ci/L)	0.0189	0	0.0001	0.0003	1E-05	6E-05	0	0.02403	0.00344	0.00344	0	0.000314	0.0794	0.1821	0.0031	0.0037	0.2106	0.5665	0	0.026	0.0021	0.0021	0.00117	

species mol/L	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N	
Na	0.6626	1.1249	1.5756	4.6691	2.215	3.6061	3.6061	1.4859	0.6772	3.4364	3.4836	3.9938	4.2085			0.3	12.37	0.1952	1.2652	
Al	0	0	0	0.5	0	0.34	0.34	0.0234	0.083	0.56	0	0.4169	0.4169			0	2.2	0	0	
Fe	0.04	0.04	0.04	0.0407	0.07	0.065	0.065	0.0423	0.007	0.017	0.041	0.0054	0.0054			0	0	0.04	0.04	
Cr	0.008	0.008	0.008	0.0094	0.008	0.008	0.008	0.017	0.002	2E-07	0	0.0282	0.0282			0	0	0.008	0.008	
Bi	0	0	0	0	0	0	0	1E-05	0	0	0	0.0001	0.0001			0	0	0	0	
La												2E-09	2E-09							
Hg	0	0	0	0	0	0	0	4E-07	0	0	0	1E-06	1E-06			0	0	0	0	
ZrO(OH)2	0	0	0	0	0	0	0	4E-07	0	0	0	7E-05	7E-05			0	0	0	0	
Pb	0	0	0	0	0.0034	0	0	6E-05	1E-06	0	0	0.0002	0.0002			0	0	0	0	
Ni	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.0061	0.002	0.01	0	0.0049	0.0049			0	0	0.004	0.004	
Sr												8E-10	8E-10							
Mn	0	0.012	0.0009	0	0	0	0	0.0027	0	0	0	0.0038	0.0038			0.0013	0	0	0	
Ca	0.01802	0.01804	0.0181	0.0184	0.0049	0.0183	0.0183	0.0121	0.0101	0.0103	0.0123	0.0244	0.0245			0	0.018	0.018		
K	0.001	0.0135	0.0055	0.0181	0.0887	0.0278	0.0278	0.0074	0.0028	0.0135	0.0136	0.0199	0.0209			0.0013	0.016	0.0007	0.0007	
balance	0	2.2E-16	0	0	-4E-16	9E-16	0	2E-16	0	0	0	2E-06	0.0011			-6E-17	4E-15	-6E-17	0	
density																				
vol%solids	0.6	1.1	0.6	2.3	1.2	5.8	5.8	3.1	0.5	0.68	2.6	2	1	100	100	13.6	80	1	1	
void frac.	0.62713	0.80232	0.6254	0.549	0.8226	0.9349	0.9349	0.8307	0.8459	0.5749	0.8505	0.352	0.6426	0.6	0.6	1	0.8	0.7152	0.7152	
species																				
OH	0.159	0.172	0.1824	2.1649	0.33	1.5678	1.6116	0.2857	0.5611	2.4791	0.4501	2.0198	2.1447			-0.494	9.2	0.17	0.17	
NO3	0.23005	0.37757	0.9429	3.675	1.0785	2.7545	2.7545	0.5075	0.2719	1.7141	0.6382	1.4502	1.4503			0.8	2.816	0.1567	0.1567	
NO2	0.01	0.01	0.01	0.014	0.01	0.01	0.01	0.2588	0.01	0.01	0.01	1.0136	1.0236			0	4.05	0.024	0.014	
CO3	0.22	0.4	0.3041	0.2	0.0049	0.0183	0.0183	0.1483	0.0101	0.27	0.25	0.2409	0.2409			0	1	0.011	0.011	
PO4	0	0	0	0.0001	0	0.09	0.09	0.0233	0	0.01	0	0.0136	0.0136			0	0.1	0	0.36	
SO4	0.004	0.004	0.004	0.0068	0.0674	0.054	0.054	0.0814	0.016	0.044	0.102	0.1279	0.1279			0	0.03	0.004	0.004	
SiO3	0	0	0	0	0	0	0	0.1032	0.04	0.05	0.08	0.0665	0.0665			0	0	0	0	
F	0	0	0	0	0	0	0.12	0.12	0.0004	0	0	0	0.0061	0.0061			0	0.06	0	0
Cl	0.0046	0.0069	0.0213	0.1144	0.0492	0.0634	0.0634	0.0178	0.0127	0.062	0.0624	0.0682	0.0728			0	0.5	0.0032	0.0032	
C6H5O7	0	0	0	0	0.04	0	0	0	0.01	0.015	0	0.0029	0.0279			0	0	0	0	
EDTA	0	0	0	0	0.08	0	0	0	0	0	0.15	0.0005	0.0005			0	0	0	0	
HEDTA	0	0	0	0	0	0	0	0	0	0	0.3	0.001	0.001			0	0	0	0	
											0	0								
glycolate	0	0	0	0	0	0	0	0	0	0.2	0.3	0.0064	0.0064			0	0	0	0	
acetate					0.51						9E-05									
oxalate	0	0	0	0	0	0	0	0	0	0	2E-09	2E-09			0	0	0	0		
DBP	0.06061	0.02329	0.0185			0	0.0019	0.0083			3E-05	0.0177	0.0177							
butanol	0.06061	0.02329	0.0185			0	0.0019	0.0083			3E-05	0.0177	0.0177							
											0	0								
NH3	0	0	0	0	0	0	0	0.0084	0	0	0	0.0254	0.0254			0	0	0	0	
Fe(CN)6----	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0	
Pu-239 (μCi/L)	0	0	0	625	0	0	0	322.29	132	65	127.99	61.685	61.685							
U-238 (M)	0	0	0	0	0	0.0021	0.0094	0.0029	0.0063	0.0078	0.03	0.0082	0.0082			0	0	0	0	
Cs-137 (Ci/L)	0	0	0	0	0	0.0001	0.6298	0.2749	0.32	0	0.0487	0.6297	0.0487							
Sr-90 (Ci/L)	0	0	0	0	0.25	0.0001	0.522	0.3997	0.1861	0.0657	0.3038	0.0697	0.0697							

species mol/L	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltCk	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	A2-SltSlr	P3	PL2	CWZr2	BP/Cplx	BP/NCplx	PASF	
Na	3.1929	5.8025	3.1021	5.5387	3.4059	6.9581	2.6637	10.655	2.3512	10.593	3.4069	13.104	6.8238	17.443	3.9404	13.908		0	2.8514	0.6405	1.0176			0.0599	
Al	0.1562	0.2839	0.1265	0.2259	0.7514	1.5351	0.2964	1.1858	0.4146	1.8678	0.4867	1.8721	0.9807	2.5069	0.5662	1.9983		0	0.34	0	0			0	
Fe	0.0209	0.0379	0.0152	0.0272	0.002	0.0041	0.002	0.008	0.002	0.0089	0.0019	0.0071	0.0012	0.003	0.0018	0.0063		0	0.1174	0.04	0.04			0.01	
Cr	0.0041	0.0075	0.0039	0.007	0.0281	0.0573	0.0117	0.0468	0.0089	0.0401	0.0187	0.0718	0.0212	0.0542	0.0135	0.0475		0	0	0.008	0			0	
Bi	0.0063	0.0114	0.0049	0.0088	4E-06	8E-06	0.0005	0.0019	0.0002	0.001	0.0004	0.0016	0.0022	0.0057	0.0016	0.0056		0	0	0	0			0	
La	0	0	0	0	2E-11	3E-11	3E-10	1E-09	8E-07	4E-06	5E-06	2E-05	3E-06	1E-05	9E-06	2E-05	7E-06	2E-05	0	0					
Hg	9E-06	2E-05	7E-06	1E-05	7E-07	1E-06	3E-06	1E-05	5E-06	2E-05	3E-06	1E-05	9E-06	2E-05	7E-06	2E-05		0	0	0	0.0002	0	0	0	
ZrO(OH)2	0.0017	0.0032	0.0017	0.003	2E-06	4E-06	0.0003	0.0013	8E-05	0.0003	0.0003	0.001	0.0015	0.0039	0.0014	0.0049		0	0	0	0.1			0	
Pb	0	0	0	0	0.0001	0.0002	0.0002	0.001	0.0008	0.0036	0.0003	0.0012	0.0009	0.0022	0.0005	0.0016		0	0	4E-05	0			0	
Ni	0.0016	0.0029	0.0016	0.0029	0.0018	0.0036	0.0017	0.0068	0.0017	0.0075	0.0017	0.0065	0.0014	0.0036	0.0016	0.0055		0	0	0.004	0			0	
Sr	0	0	0	0	5E-12	1E-11	1E-10	4E-10	3E-07	1E-06	2E-06	7E-06	3E-06	9E-06	1E-06	5E-06		0							
Mn	0	0	0	0	3E-05	6E-05	0.0008	0.0031	0.0008	0.0037	0.001	0.0038	0.0009	0.0023	0.0011	0.0037		0	0	0.006	0			0	
Ca	0.0129	0.0234	0.0117	0.0209	0.009	0.0184	0.009	0.0362	0.009	0.0405	0.0088	0.034	0.0075	0.0191	0.0086	0.0305		0	0.0183	0.018	0.018			0.018	
K	0.011	0.0199	0.0107	0.019	0.014	0.0286	0.0109	0.0436	0.0096	0.0431	0.0154	0.0592	0.0401	0.1025	0.042	0.1483		0	0.011	0.0069	0.221			0.0002	
balance	9E-16	-2E-15	2E-05	0.0006		0.0009				0.0011		0.0017		0.0011		0	-9E-16	1E-16	2E-16				3E-17		
density	1.1201		1.1167		1.1787		1.1201		1.1167		1.1611		1.3236		1.1862										
vol%solids	50	17.683	50	11.446	50	13.82	50	55.385	50	48.966	50	55.173	50	99	50	45.523		90	3.9	2	10.5			0.6	
void frac.	1	0.7496	1	0.731	1	0.8732	1	0.7922	1	0.779	1	0.7221	1	0.5624	1	0.6159		0.5	0.789	0.8882	0.8503			0.7842	
species														0.5668											
OH	0.0759	1.2737	0.0874	1.0595	0.0601	6.2633	0.1279	5.2547	0.1142	7.9855	0.1626	8.114	0.2924	10.775	0.2135	8.7466		0	3.3127	0.1348	0.6088			0.04	
NO3	1.6353	2.9719	1.5868	2.8332	1.5385	3.1432	1.269	5.0762	1.0144	4.5701	1.3938	5.3607	1.912	4.8875	1.2217	4.3119		0	0.6075	0.2569	0.3875			0.0662	
NO2	0.2097	0.3811	0.2151	0.3841	1.0207	2.0853	0.442	1.7678	0.4427	1.9943	0.7619	2.9305	1.8671	4.7725	0.8988	3.1724		0	0.01	0.01	0.007			0	
CO3	0.1032	0.1875	0.1117	0.1995	0.012	0.0245	0.1091	0.4365	0.0979	0.4412	0.1258	0.4837	0.2667	0.6816	0.152	0.5367		0	0.0183	0.12	0.018			0.0095	
PO4	0.2166	0.3937	0.1948	0.3479	0.0003	0.0005	0.0351	0.1406	0.0174	0.0785	0.0332	0.1279	0.13	0.3324	0.0792	0.2796		0	0	0.0695	0			0	
SO4	0.1024	0.1861	0.1028	0.1835	0.0243	0.0497	0.0645	0.2581	0.0486	0.219	0.0779	0.2994	0.2238	0.5722	0.1154	0.4074		0	0.1348	0.004	0			0	
SiO3	0.0185	0.0336	0.0174	0.0311	0.0231	0.0471	0.0178	0.0711	0.0124	0.0557	0.021	0.0809	0.0287	0.0733	0.0276	0.0973		0	0.0921	0	0			0	
F	0.111	0.2018	0.1085	0.1938	0.0002	0.0005	0.0264	0.1056	0.0151	0.0682	0.0223	0.0857	0.1276	0.3262	0.1187	0.4188		0	0.03	0	0.77			0	
Cl	0.0619	0.1125	0.0606	0.1082	0.0642	0.1312	0.0494	0.1975	0.0323	0.1455	0.0591	0.2273	0.1126	0.2878	0.0643	0.2269		0	0.0506	0.0039	0.0046			0.0009	
C6H5O7	0	0	0	0	0.0002	0.0005	0.0049	0.0195	0.0061	0.0275	0.0085	0.0328	0.0212	0.0541	0.0104	0.0369		0	0	0	0			0	
EDTA	0	0	0	0	9E-06	2E-05	0.003	0.0118	0.0014	0.0062	0.0044	0.017	0.0129	0.0329	0.01	0.0352		0	0	0	0			0	
HEDTA	0	0	0	0	7E-06	1E-05	0.0057	0.023	0.0002	0.0008	0.0083	0.0321	0.0241	0.0616	0.0176	0.0623		0	0	0	0			0	
glycolate	0	0	0	0	0.0003	0.0006	0.0176	0.0703	0.0043	0.0193	0.0263	0.101	0.0691	0.1765	0.0374	0.132		0	0	0	0			0	
acetate	0	0	0	0	3E-05	7E-05	0.0006	0.0022	0.0081	0.0367	0.0015	0.0059	0.0052	0.0133	0.0073	0.0259		0	0	0	0			0	
oxalate	0	0	0	0	1E-11	3E-11	3E-10	1E-09	7E-07	3E-06	4E-06	2E-05	9E-06	2E-05	4E-06	1E-05		0	0	0	0			0	
DBP	2E-05	3E-05	2E-05	3E-05	0.0002	0.0004	0.0038	0.0154	0.0065	0.0292	0.0059	0.0227	0.0154	0.0393	0.0086	0.0305		0		0.0034					
butanol	2E-05	3E-05	2E-05	3E-05	0.0002	0.0004	0.0038	0.0154	0.0065	0.0292	0.0059	0.0227	0.0154	0.0393	0.0086	0.0305		0		0.0034					
NH3	0.0006	0.0012	0.0007	0.0012	0.0192	0.0349	0.0073	0.0133	0.0065	0.0118	0.021	0.0141	0.0255	0.0856	0.1555		0	0	0	0.77			0.05		
Fe(CN)6----	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0		0		
Pu-239 (μCi/L)	8.0261	14.586	9.8518	17.59	22.291	45.54	19.222	76.89	21.902	98.676	20.791	79.965	23.831	60.915	21.579	76.163		0	210.85	4.6411	107.42			0	
U-238 (M)	0.0024	0.0044	0.0025	0.0044	0.004	0.0081	0.003	0.012	0.0033	0.0147	0.0033	0.0129	0.0027	0.0068	0.0026	0.0093		0	0.0384	0.0005	0.0031			0	
Cs-137 (Ci/L)	0.0095	0.0172	0.0097	0.0173	0.1448	0.2959	0.0652	0.2607	0.0432	0.1947	0.0896	0.3447	0.224	0.5725	0.1188	0.4192		0	2.7149	0.03	0.0022			0	
Sr-90 (Ci/L)	0.0121	0.0219	0.0127	0.0227	0.0321	0.0656	0.0251	0.1004	0.018	0.081	0.0326	0.1254	0.0239	0.061	0.022	0.0777		0	2.3108	0.026	0.0019			0	

pred. sludge mol/L	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1	
Na	5.0398	6.4895	4.8766	3.5567	4.174	1.1981	4.5209	3.572	3.96609	3.807152	3.43732	2.282215	2.3718	3.1868	7.8429	1.3777	1.8323	4.0314	0	2.829563	1.9815	1.2208	5.54806	
Al	0	0	0.4753	0.8616	0	0	0	0	0	0	0.16498	0.432775	4.1433	4.771	11.209	5.8587	0	0	0	5.1545	5.8588	0	0	
Fe(total)	0.1187	0.1187	0.3232	0.1787	0.5608	0.7851	0.361	1.57339	0.89386	0.95509	0.35714	0.106169	1.0131	2.6862	0.165	0.4571	2.6294	2.9608	2.911055	0.1649	0.4571	0.12771		
Cr	0.0012	0.0008	0.0038	0.0043	0.0033	0.0051	0.0034	0.00293	0.003	0.002961	0	0.001857	0.8741	4.3989	0.002	0.0023	0.0068	0.0065	0	0.006915	0.0026	0.0023	0.00265	
Bi	0	0	0.077	0.0442	0.0922	0.0411	0.0604	0	0.24726	0.285269	0	0.212333	0	0	0	0	0	0	0	0	0	0	0	
La	0	0	0	0	0	0	0.2368	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Hg	0	0	0.0001	6E-05	0	0	0	0	0	0	0	0	0	0	0	0.0041	0.011	0	0	0	0	0.0025	0.0059	0.002
ZrO(OH)2	0	0	0.0103	0.007	0	0	0	0	0	0	0	0.023833	0	0	0	0	0	0	0	0	0	0	0.9268	
Pb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1177	0.3257	0	0	5.19E-05	0.1176	0.3257	0	
Ni	0.0006	0.0004	0.0012	0.0013	0.0013	0.0015	0.0013	0.00147	0.13682	0.129858	0.65166	0.191316	0.0507	0.1176	0.001	0.0012	0.1018	0.0582	0	0.101768	0.0013	0.0012	0.00132	
Sr	0	0	0	0	0	0	1.5661	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Mn	0	0	0	0	0	0	0.0039	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ca	0.0841	0.0841	0.0755	0.0455	0.1437	0.2763	0.2437	0.34504	0.26382	0.303594	0.79434	0.238166	0.2145	0.507	0.1208	0.3219	0.4213	0.2431	0.433908	0.1204	0.321	0.09495		
K	0.0003	0.0032	0.0028	0.0051	0.0035	0.2275	0.01581	0.01691	0.016661	0.01049	0.003899	0.0085	0.0112	0.0015	0.0026	0.0027	0.0046	0.01272	0.0012	0.0018	0.19256			
balance	4E-15	-2E-04	0	-9E-16	-9E-16	-9E-16	0	-1.8E-15	0	1.78E-15	0	8.88E-16	4E-15	1E-14	0	4E-15	0	-2E-15	0	-4E-15	-4E-15	1.8E-15		
density	1.7467	1.7467	1.2909	1.2223	1.2519	1.125	1.3763	1.31537	1.37007	1.374663	1.46546	1.229691	1.4832	2.2124	1.7718	1.6539	1.2761	1.4155	1.32511	1.4113	1.5319	1.26229		
vol%solids	12	12	13.7	24.9	6.8	3.4	3.9	2.8	3.7	3.2	1.4	4.8	4.5	1.9	8.1	2.9	2.2	3.9	2.2	8.1	2.9	10.5		
void frac.	0.3577	0.2292	0.6948	0.7906	0.7704	0.9437	0.8339	0.91417	0.93451	0.923005	0.89558	0.925071	0.7988	0.5737	0.6508	0.7629	0.8413	0.8077	0.861767	0.8339	0.7631	0.85731		
wt.% H2O	44.376	43.437	70.855	74.269	71.419	81.431	55.549	60.0521	60.2034	59.07127	63.36	77.08434	51.958	36.383	24.549	47.995	66.636	59.25	55.35137	57.862	50.992	66.2596		
TOC wt.%C	0	0	0	0	0	0	1.1208	0.0003	0.71016	0.409191	1.75469	0.609909	0	0	0	0	0	0	0	0	0	0		
free OH-	0.0131	0.0084	0.0604	0.0227	0.0278	0.0594	0.0163	0.02376	0.0314	0.02176	0.04445	0.121907	0.0093	0.0131	0.0099	0.0089	0.1742	0.1675	0.045445	0.0132	0.0091	0.20615		
OH-	12.286	12.222	2.6199	3.177	1.7057	2.4091	4.9184	5.55494	2.91987	3.461722	2.77871	1.836831	18.62	37.963	41.724	22.998	8.4259	10.191	8.97387	17.486	21.315	4.285		
NO3-	0.0625	0.0467	0.3741	0.3886	0.9692	0.6536	1.3277	2.19038	2.46299	2.417695	0.00948	0.055255	0.0352	9E-09	0.571	0.659	3E-11	2E-14	1.968159	0.5637	0.5164	0.27058		
NO2-	0.0092	0	0.179	0.2466	0.002	0.0015	0	0.3693	0.15363	0.166718	2.2522	0.607815	1.9534	1.6065	0.9592	0.2366	0.3793	0.5875	0.453432	0.6734	0.2247	0.00823		
CO3--	1.8859	2.6515	0.0755	0.0455	0.1437	0.2763	0.2437	0.51144	0.26382	0.303594	0.79524	0.227953	0.2145	0.507	0.1208	0.3219	0.4213	0.2431	0.433908	0.1204	0.321	0.09495		
PO4---	0.3997	0.4001	1.3319	0.8802	1.015	0.1406	0.0965	0.11913	0.36904	0.405556	0.1166	0.439275	0	0	0	0	0	0	0.082982	0	0	0		
SO4--	0.082	0.0534	0.0447	0.0514	0.0388	0.0254	0.0013	0.12976	0.17143	0.169327	0.01435	0.018568	0.0153	0.0174	0.0084	0.0096	0.0368	0.1292	0.048458	0.0106	0.0096	0.00132		
SiO3--	0.0016	0.001	0.0632	0.0501	0.078	0.0184	0	0	0.06118	0.06541	0	0.117331	0.0119	0.4775	0.0201	0	0.6221	1.5241	0	0.0169	0	0		
F-	0	0	0.1653	0.1918	0.1722	0.1094	2.0348	0	0.19672	0.19431	0	0.211677	0	0	0	0	0	0	0	0	0	5.28655		
Cl-	0.0013	0.0008	0.0148	0.0129	0.0235	0.0161	0.0249	0.09382	0.07781	0.076639	0.04827	0.017937	0.0391	0.0517	0.0068	0.012	0.0122	0.0211	0.05851	0.0054	0.0085	0.00498		
C6H5O7---	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
EDTA----	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
HEDTA---	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
glycolate-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
acetate-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
oxalate--	0	0	0	0	0	0	0	0.6427	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
DBP	0	0	0	0	0	0	0	2.8E-05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
butanol	0	0	0	0	0	0	0	2.8E-05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
NH3	4E-06	0	0.0002	0.0006	5E-08	6E-08	0	0.00087	0.00031	0.000372	0.2464	0.031427	0.1316	0.3286	0.0002	6E-05	0.1336	0.2421		0.001745	0.0002	3E-05	0.66013	
Fe(CN)6----									0.13514	0.078125	0.35714	0.104167												
Pu-239 (μCi/g)	0.0037	0	0.0059	0.0175	0.0118	0.0105	0.01	0.0032	0.00152	0.001505	0	0.020309	0.0108	0.0137	1.4406	3.0815	0.2752	1.0361	4.279232	0.5815	1.205	0.53949		
U-238 (M)	1.9879	1.9775	0.0006	0.0006	8E-05	5E-05	0	0.13974	0.10672	0.122769	0.27524	0.000733	0.0216	0.2682	0.1835	0.4857	0.0314	0.1753	0.0031	0	0.0986	0.2069	0.00208	
Cs-137 (Ci/L)	0.0008	0	0.0122	0.0293	0.0002	0.0003	0	0.00134	0.01331	0.015393	1.78571	0.730612	0.0793	0.1865	0.0026	0.0035	0.2186	0.561	0.063172	0.0022	0.002	0.00123		
Sr-90 (Ci/L)	0.0073	0	0.0001	0.0003	8E-06	5E-05	0	0.02202	0.00323	0.003187	0	0.000291	1.0433	7.8275	0.0021	0.0029	8.061	13.687	0.022474	0.0018	0.0016	0.00102		

pred. sludge mol/L	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
Na	0.41647	0.73565	0.9876	2.0895	1.8258	3.384	3.384	5.6024	2.9631	6.6962	6.4431	9.0004	10.67	0	0.3	12.926	0.996	1.3109	
Al	0	0	0	11.008	0	0.7071	0.7071	0.0711	1.2273	6.065	0	0.2688	0.08	1.82	0	2.2875	0	0	
Fe(total)	6.33533	3.45659	6.3353	1.6846	5.6687	1.0882	1.0882	1.3018	1.0019	2.2078	1.502	0.3467	0.09	0.53	0	0	4.0014	4.0014	
Cr	0.00503	0.00643	0.005	0.0052	0.0066	0.0075	0.0075	0.0142	0.0017	1E-07	0	0.0182	0	0	0	0	0.8057	0.8057	
Bi	0	0	0	0	0	0	0	1E-05	0	0	0	8E-05	0	0	0	0	0	0	
La	0	0	0	0	0	0	0	0	0	0	0	1E-09	0	0	0	0	0	0	
Hg	0	0	0	0	0	0	0	3E-07	0	0	0	8E-07	0	0	0	0	0	0	
ZrO(OH)2	0	0	0	0	0	0	0	3E-07	0	0	0	4E-05	0	0	0	0	0	0	
Pb	0	0	0	0	0.1516	0	0	5E-05	8E-07	0	0	0.0001	0	0	0	0	0	0	
Ni	0.36847	0.20184	0.3685	0.0974	0.1851	0.0397	0.0397	0.139	0.042	1.2076	0	0.3087	0	0	0	0	0.4013	0.4013	
Sr	0	0	0	0	0	0	0	0	0	0	0	8E-08	0	0	0	0	0	0	
Mn	0	0.28191	0.0006	0	0	0	0	0.0022	0	0	0	0.0025	0	0	0.0013	0	0	0	
Ca	1.513	0.83063	1.5276	0.419	0.004	0.1698	0.1698	0.1096	0.222	0.2034	0.1368	1.5248	0.08	20.9	0	0	0.9101	0.9101	
K	0.00063	0.01085	0.0035	0.0101	0.0731	0.0261	0.0261	0.0062	0.0023	0.0078	0.0116	0.0135	0	0	0.0013	0.0152	0.0005	0.0005	
balance	3.6E-15	-2E-15	4E-15	7E-15	0	0	-2E-15	-2E-15	0	0	0	0.0007	0	-7.1E-15	-6E-17	7E-15	0	4E-15	
density	1.55322	1.33755	1.576	1.7282	1.4473	1.2494	1.2879	1.3008	1.4319	1.9866	1.7469	1.689	0.39	1.9	1.0188	1.6393	1.488	1.5	
vol%solids	0.6	1.1	0.6	2.3	1.2	5.8	5.8	3.1	0.5	0.68	2.6	1	100	100	13.6	80	1	1	
void frac.	0.62713	0.80232	0.6254	0.549	0.8226	0.9349	0.9349	0.8307	0.8459	0.5749	0.8505	0.6426			1	0.8	0.7152	0.7152	
wt.% H2O	42.3178	58.19	40.504	28.191	43.568	64.436	65.026	69.261	65.215	33.614	49.218	54.476	-6	8	94.733	43.115	52.516	51.754	
TOC wt.%C	0.35321	0.20164	0.106	0	1.408	0.0203	0.0871	0	0.0426	0.1707	2.9914	0.1546		0	0	0	0	0	
free OH-	0.0255	0.03336	0.0401	0.1633	0.0972	0.0358	0.0463	0.0536	0.1742	0.1119	0.1512	0.2813	0	0	-0.494	0.5276	0.037	0.037	
OH-	19.7624	11.8978	19.777	38.57	17.766	5.7888	6.3627	4.4605	9.7453	30.989	10.651	5.4651	0	34.73	-0.494	9.4851	15.237	15.237	
NO3-	0.14459	0.30359	0.591	1.5381	1E-17	2.5823	4E-07	4E-09	8E-24	0.0009	4E-06	0.9353	0	0	0.8	2.7909	0.1124	0.1124	
NO2-	0.00629	0.00804	0.0063	0.0078	0.8973	0.0119	2.5942	0.6399	0.2386	0.9933	0.5534	0.6601	0	0	0	4.2375	0.0172	0.01	
CO3--	1.63995	1.05334	1.7068	0.5197	0.004	0.1698	0.1698	0.2233	0.222	0.3531	0.3397	1.6644	0	0	0	1.15	0.9051	0.9051	
PO4---	0	0	0	8E-05	0	0.0845	0.0845	0.0195	0	0.0058	0	0.0088	0	0	0	0.0952	0	0.1073	
SO4--	0.00251	0.00322	0.0025	0.0038	0.0556	0.0507	0.0507	0.0679	0.0135	0.0254	0.0871	0.0825	0	0.69	0	0.0286	0.4309	0.4309	
SiO3--	0	0	0	0	0	0	0	0	2.267	1.2288	2.3862	1.8027	3.1861	5.67	6.37	0	0	0	
F-	0	0	0	0	0	0.1126	0.1126	0.0003	0	0	0	0.0039	0	0	0	0.0571	0	0	
Cl-	0.00289	0.00555	0.0134	0.0635	0.0405	0.0595	0.0595	0.0148	0.0108	0.0357	0.0532	0.0469	0	0	0	0.59	0.0023	0.0023	
C6H5O7---	0	0	0	0	0.033	0	0	0	0.0085	0.0086	0	0.018	0	0	0	0	0	0	
EDTA----	0	0	0	0	0.0659	0	0	0	0	0	0.1281	0.0003	0	0	0	0	0	0	
HEDTA---	0	0	0	0	0	0	0	0	0	0	0.2561	0.0007	0	0	0	0	0	0	
glycolate-	0	0	0	0	0	0	0	0	0	0	0.1153	0.2561	0.0041	0	0	0	0	0	
acetate-	0	0	0	0	0.4204	0	0	0	0	0	0	0	0	0	0	0	0	0	
oxalate--	0	0	0	0	0	0	0	0	0	0	0	1E-09	0	0	0	0	0	0	
DBP	0.0381	0.01873	0.0116	0	0	0.0018	0.0078	0	0	0	3E-05	0.0114	0	0	0	0	0	0	
butanol	0.0381	0.01873	0.0116	0	0	0.0018	0.0078	0	0	0	3E-05		0	0	0	0	0	0	
NH3	0	0	0	0	0.4455	1E-07	0.7179	0.1929	0.1426	0.0883	0.1148	0.0164	0	0	0	0	0	0	
Fe(CN)6----																			
Pu-239 (uCi/g)	0	0	0	14.99	0	0	0	7.2753	14.277	2.6118	2.1827	1.878	0	0	0	0	0	0	
U-238 (M)	0	0	0	0	0	0.002	0.0977	0.0024	0.4604	0.5604	1.0033	0.4122		0	0	0	0	0	
Cs-137 (Ci/L)	0	0	0	0	0	0.0001	0.591	0.2295	0.2709	0	0.0416	0.0314	0	0	0	0	0	0	
Sr-90 (Ci/L)	0	0	0	0	18.034	0.0001	8.4474	11.83	30.458	4.7022	8.2565	0.0449	0	0	0	0	0	0	

pred. sludge mol/L	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltCk	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	A2-SltSlr	P3	PL2	CWZr2	BP/Cplx	BP/NCplx	PASF
Na	9.1685	9.2907	8.8549	12.092	12.404	14.83	17.121	16.035	0	5.1709	0.5701	5.5017	0	0	0.0471									
Al	0.2227	0.1704	1.3643	1.0616	2.1458	0.0478	2.5146	2.4507	0	0.8618	0	0											0	
Fe(total)	0.205	0.2221	0.017	0.014	0.0161	0.0125	0.003	0.0127	0	2.9608	1.9019	0.3639											1.3352	
Cr	0.0059	0.0053	0.2276	0.0594	0.0507	0.1048	0.0545	0.0661	0	0	0.0071	0	0									0	0	
Bi	0.046	0.0455	8E-06	0.0017	0.0009	0.0013	0.0057	0.0074	0	0	0	0											0	
La	0	0	3E-11	3E-09	3E-06	2E-05	3E-05	1E-05	0	0	0	0											0	
Hg	5E-05	4E-05	1E-06	9E-06	4E-05	1E-05	2E-05	4E-05	0	0	0	0											0	
ZrO(OH)2	0.0039	0.0033	4E-06	0.0011	0.0003	0.0008	0.0039	0.0071	0	0	0	0											0	
Pb	0	0	0.0002	0.0009	0.0057	0.001	0.0022	0.0012	0	0	4E-05	0											0	
Ni	0.0081	0.0114	0.0151	0.0113	0.0135	0.0108	0.0036	0.0103	0	0	0.1118	0											0	
Sr	0	0	9E-11	1E-09	4E-06	2E-05	2E-05	1E-05	0	0	0	0											0	
Mn	0	0	5E-05	0.0048	0.0033	0.0059	0.0023	0.0056	0	0	0.0053	0											0	
Ca	0.0906	0.1134	0.0768	0.0599	0.0734	0.0566	0.0193	0.0572	0	0.2464	0.4598	0.0949											1.5089	
K	0.0156	0.0143	0.0254	0.039	0.0377	0.0504	0.1017	0.1107	0	0.0088	0.0061	0.1909											0.0002	
balance	2E-15	-4E-15	1E-05	0.0005	0.0008	0.0009	0.0017	0.0008	0	0	9E-16	0											0	
density	1.5284	1.5535	1.491	1.5859	1.6179	1.7217	1.7997	1.7829	0.5	1.7786	1.1827	1.2763											1.217	
vol%solids	17.683	11.446	13.82	55.385	48.966	55.173	99	45.523	90	3.9	2	10.5											0.6	
void frac.	0.7496	0.731	0.8732	0.7922	0.779	0.7221	0.5624	0.6159	0.5	0.789	0.8882	0.8503											0.7842	
wt.% H2O	55.646	57.172	50.215	40.126	37.378	30.542	26.057	28.906	100	49.287	74.594	64.507											75.533	
TOC wt.%C	0.0002	0.0002	0.0066	0.5382	0.4515	0.6976	1.4025	0.9431	0	0	0.0369	0											0	
free OH-	0.0182	0.0559	0.0035	0.3198	0.3234	0.3294	0.5795	0.4563	0	1.1328	0.0146	0.0916											0.0126	
OH-	1.5579	1.4523	6.3202	4.8447	9.2009	8.9542	10.803	10.571	0	18.137	5.9355	4.8794											4.0133	
NO3-	3.7697	3.0877	5.2908	6.9463	6.4132	7.4723	4.9071	6.1492	0	2E-14	0.2175	0.3335											0.052	
NO2-	0.2989	0.2897	1.8533	1.5827	1.7421	2.5866	4.7857	2.8607	0	0.4913	0.02	0.0073											0	
CO3--	0.2193	0.248	0.0822	0.4625	0.5015	0.5259	0.6837	0.6351	0	0.2464	0.5505	0.0949											1.5022	
PO4---	1.4019	1.6888	0.0005	0.1326	0.0685	0.1091	0.3341	0.4282	0	0	0.0619	0											0	
SO4--	0.146	0.1384	0.0442	0.2311	0.1913	0.2554	0.574	0.4244	0	0.1072	0.0036	0											0	
SiO3--	0.0316	0.0234	0.1287	0.1061	0.0783	0.1252	0.0737	0.1753	0	1.5246	0	0											0	
F-	0.1583	0.1461	0.0004	0.0945	0.0596	0.0731	0.1442	0.1505	0	0.0239	0	5.2878											0	
Cl-	0.0882	0.0816	0.1166	0.1353	0.1271	0.1254	0.1025	0.1076	0	0.0403	0.0035	0.004											0.0007	
C6H5O7---	0	0	0.0004	0.0175	0.024	0.028	0.0537	0.0275	0	0	0	0											0	
EDTA---	0	0	2E-05	0.0106	0.0054	0.0145	0.0326	0.0263	0	0	0	0											0	
HEDTA---	0	0	1E-05	0.0206	0.0007	0.0274	0.0611	0.0465	0	0	0	0											0	
glycolate-	0	0	0.0006	0.0629	0.0169	0.0861	0.1752	0.0986	0	0	0	0											0	
acetate-	0	0	6E-05	0.002	0.032	0.0051	0.0132	0.0193	0	0	0	0											0	
oxalate--	0	0	3E-11	1E-09	3E-06	1E-05	2E-05	1E-05	0	0	0	0											0	
DBP	2E-05	2E-05	0.0004	0.0137	0.0255	0.0193	0.039	0.0227	0	0	0	0.003											0	
butanol	2E-05	2E-05	0.0004	0.0137	0.0255	0.0193	0.039	0.0227	0	0	0	0.003											0	
NH3	0.0009	0.0009	0.031	0.0119	0.0103	0.0179	0.0253	0.1161	0	0.1972	1E-05	0.6547											0.0392	
Fe(CN)6----																								
Pu-239 (µCi/g)	0.0095	0.011	0.0972	0.0766	0.107	0.0746	0.0351	0.0763	0	2.6321	0.004	0.6063											0	
U-238 (M)	0.006	0.0076	0.0339	0.0189	0.0258	0.0207	0.0069	0.0158	0	0.8848	0.0004	0.0027											0	
Cs-137 (Ci/L)	0.0218	0.0189	0.2912	0.2453	0.2156	0.3271	0.5686	0.3433	0	4.4532	0.0267	0.0019											0	
Sr-90 (Ci/L)	0.0172	0.0171	0.2627	0.1556	0.1299	0.2017	0.0613	0.1351	0	58.413	0.0231	0.0016											0	

pred. su mol/L	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1
Na	1.88193	1.8947	1.924	1.703	2.1284	1.26964	1.6899	3.90735	3.89187	3.88171	3.04054	1.758423	2.969	3.9578	3.6046	1.8059	0.767	1.2854		3.283444	2.3761	1.5998	0.54515
Al(OH)4 -	0	0	0.195	0.025	0	0	0	0	0	0	0.02634	0.173978	0.485	1.0595	1.1884	0.6283	0	0		0	0.8515	0.6283	0
Fe	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0	0.002	0.002	0.002	0.002	0.002	0.002	0.002		0.002001	0.002	0.002	0.002
Cr	0.00347	0.0035	0.005	0.005	0.0043	0.00542	0.0041	0.00321	0.00321	0.00321	0	0.002007	0.03	0.03	0.0031	0.0031	0.008	0.0081		0.008024	0.0031	0.0031	0.00309
Bi	0	0	0.004	0.004	0.004	0.004	0.004	0	0.004	0.004	0	0.004	0	0	0	0	0	0		0	0	0	0
La	0	0	0	0	0	0	0.006	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
Hg	0	0	1E-05	1E-05	0	0	0	0	0	0	0	0	0	0	0	1E-05	1E-05	0		0	1E-05	1E-05	1E-05
Zr	0	0	0.003	0.003	0	0	0	0	0	0	0	0.003	0	0	0	0	0	0		0	0	0	0.003
Pb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0016	0.0016	0		6.02E-05	0.0016	0.0016	0
Ni	0.00173	0.0018	0.002	0.002	0.0016	0.0016	0.0016	0.0016	0.0018	0.0018	0.0018	0.0018	0.0018	0.0018	0.0016	0.0015	0.0018	0.0018		0.001801	0.0015	0.0015	0.00154
Sr	0	0	0	0	0	0	0.002	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
Mn	0	0	0	0	0	0	0.0046	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
Ca	0.009	0.009	0.009	0.009	0.009	0.009	0.009	0.00901	0.00901	0.00901	0.00901	0.00901	0.009	0.009	0.009	0.009	0.009	0.009		0.009005	0.009	0.009	0.00901
K	0.00076	0.0008	0.005	0.004	0.0066	0.0037	0.2728	0.0173	0.0181	0.01805	0.01172	0.004215	0.011	0.0196	0.0023	0.0034	0.0032	0.0057		0.01476	0.0014	0.0024	0.22461
balance	-2E-16	-2E-16	2E-16	-0	0	4.4E-16	0	-4.4E-16	-4E-16	-4E-16	0	-2.2E-16	-0	0	-4E-16	0	0	-2E-16		0	7E-16	2E-16	0
density	1.07097	1.0715	1.085	1.066	1.0803	1.0473	1.0639	1.14809	1.14739	1.14715	1.11664	1.077022	1.147	1.2242	1.2199	1.1124	1.026	1.0457		1.12398	1.1497	1.1046	1.01711
vol%solids	12	12	13.7	24.9	6.8	3.4	3.9	2.8	3.7	3.2	1.4	4.8	4.5	1.9	8.1	2.9	2.2	3.9		2.2	8.1	2.9	10.5
void frac.	0.35772	0.2292	0.695	0.791	0.7704	0.94368	0.8339	0.91417	0.93451	0.923	0.89558	0.925071	0.799	0.5737	0.6508	0.7629	0.8413	0.8077		0.861767	0.8339	0.7631	0.85731
wt.% H2O	89.0129	88.902	87.74	88.98	85.492	91.1927	84.728	73.5572	73.2867	73.3076	78.1582	88.95057	78.53	73.832	76.881	86.416	94.864	91.551		76.37869	83.498	87.892	95.1018
TOC wt.%C	0	0	0	0	0	0	0.0116	0.00038	0	0	0	0	0	0	0	0	0	0		0	0	0	0
species	excludes hydroxide bound to Al																						
OH-	0.03651	0.0366	0.087	0.029	0.0361	0.06294	0.0195	0.02599	0.0336	0.02357	0.04963	0.131782	0.012	0.0229	0.0152	0.0116	0.207	0.2073		0.052735	0.0158	0.0119	0.24047
NO3-	0.18099	0.2036	0.568	0.545	1.2591	0.69335	1.5921	2.58276	2.77089	2.77089	2.35514	0.545644	1.623	1.5533	0.8902	0.8759	0.1976	0.1567		2.584803	0.6836	0.6821	0.31676
NO2-	0.01918	0	0.228	0.259	0.0014	0.00082	0	0.21724	0.02911	0.02911	0.17025	0.171134	0.867	1.2467	1.4609	0.298	0.2533	0.5707		0.225228	0.7999	0.2891	0.00845
CO3--	0.39353	0.3944	0.009	0.009	0.009	0.009	0.19103	0.00901	0.00901	0.01001	-0.00204	0.009	0.009	0.009	0.009	0.009	0.009	0.009		0.009005	0.009	0.009	0.00901
PO4---	0.15004	0.15	0.15	0.15	0.1501	0.10941	0.0473	0.13031	0.13432	0.13432	0.13019	0.150066	0	0	0	0	0	0		0.096293	0	0	0
SO4--	0.22927	0.2332	0.064	0.065	0.0504	0.0269	0.0016	0.14194	0.18344	0.18345	0.01602	0.020072	0.019	0.0302	0.0129	0.0126	0.0438	0.16		0.056231	0.0127	0.0126	0.00154
SiO3--	0.00433	0.0044	0.034	0.034	0.034	0.0195	0	0	0.03399	0.03399	0	0.034	0.015	0.034	0.0309	0	0.034	0.034		0	0.0203	0	0
F-	0	0	0.238	0.24	0.2235	0.11596	0.24	0	0.21051	0.21052	0	0.228823	0	0	0	0	0	0		0	0	0	0.24012
Cl-	0.00352	0.0036	0.021	0.016	0.0305	0.01701	0.0299	0.10262	0.08326	0.08303	0.0539	0.01939	0.049	0.0902	0.0104	0.0157	0.0145	0.0261		0.067895	0.0065	0.0111	0.00581
C6H5O7---	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
EDTA----	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
HEDTA---	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
glycolate-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
acetate-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
oxalate--	0	0	0	0	0	0	0.0051	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
DBP	0	0	0	0	0	0	0	3E-05	0	0	0	0	0	0	0	0	0	0		0	0	0	0
butanol	0	0	0	0	0	0	0	0	3E-05	0	0	0	0	0	0	0	0	0		0	0	0	0
 	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
NH3	9.6E-05	0	5E-04	0.001	8E-08	4.7E-08	0	0.00081	1.5E-05	1.5E-05	0	3.94E-06	0.015	0.0274	0.0008	0.0001	0.0069	0.025		0.000815	0.0003	7E-05	0.78171
Fe(CN)6----	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
Pu-239 (μCi/g)	11.1186	0	9.265	23.56	16.577	11.6247	12.791	4.02233	1.87027	1.87035	0	23.6449	15.52	29.18	29.991	30	30.018	30.018		30.0121	30.029	30.029	30.0176
U-238 (M)	0.004	0.004	8E-04	8E-04	0.0001	5.5E-05	0	0.004	0.004	0.004	0.004	0.000792	0.004	0.004	0.004	0.004	0.004	0.004		0	0.004	0.004	0.00243
Cs-137 (Ci/L)	0.00235	0	0.018	0.037	0.0002	0.00028	0	0.00105	0	0	0	0	0.099	0.2231	0.004	0.0046	0.2599	0.6946		0.029254	0.0026	0.0026	0.00143
Sr-90 (Ci/L)	0.02053	0	2E-04	3E-04	1E-05	5.8E-05	0	0.02409	0.00345	0.00345	0	0.000315	0.034	0.034	0.0032	0.0037	0.034	0.034		0.026079	0.0021	0.0021	0.00119

pred. su mol/L	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N	
Na	0.66409	1.12565	1.5791	3.8061	2.2197	3.6198	3.6198	1.3542	0.6658	3.4141	3.4046		4.1601			0.3	10.147	0.1957	0.636	
Al(OH)4 -	0	0	0	0.2526	0	0.3174	0.3174	0.0219	0.0772	0.5223	0	0	0.4184			0	1.85	0	0	
Fe	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002				0	0	0.002	0.002	
Cr	0.00802	0.00802	0.008	0.0095	0.00802	0.008	0.008	0.0171	0.002	2E-07	0	0.0283				0	0	0.008	0.008	
Bi	0	0	0	0	0	0	0	1E-05	0	0	0	0.0001				0	0	0	0	
La	0	0	0	0	0	0	0	0	0	0	0	2E-09				0	0	0	0	
Hg	0	0	0	0	0	0	0	4E-07	0	0	0	1E-06				0	0	0	0	
Zr	0	0	0	0	0	0	0	4E-07	0	0	0	7E-05				0	0	0	0	
Pb	0	0	0	0	0.0016	0	0	6E-05	1E-06	0	0	0.0002				0	0	0	0	
Ni	0.0018	0.0018	0.0018	0.0018	0.0018	0.0018	0.0018	0.0018	0.0018	0.0018	0	0.0018				0	0	0.0018	0.0018	
Sr	0	0	0	0	0	0	0	0	0	0	0	8E-10				0	0	0	0	
Mn	0	0.009	0.0009	0	0	0	0	0.0027	0	0	0	0.0038			0.0013	0	0	0	0	
Ca	0.009	0.009	0.009	0.009	0.00491	0.009	0.009	0.009	0.009	0.009	0.009	0.0093				0	0	0.009	0.009	
K	0.001	0.01353	0.0055	0.0183	0.08888	0.0279	0.0279	0.0074	0.0028	0.0135	0.0136	0.021			0.0013	0.019	0.0007	0.0007		
balance	1.1E-16	-2E-16	2E-16	1E-15	-1E-15	0	0	-7E-16	-1E-16	-4E-16	0	0.0011				-6E-17	4E-15	0	0	
density	1.02463	1.04215	1.059	1.1579	1.08258	1.1592	1.159	1.052	1.0276	1.1634	1.1267	1.1808	1	1	1	1.0188	1.5052	1.0067	1.0234	
vol%solids	0.6	1.1	0.6	2.3	1.2	5.8	5.8	3.1	0.5	0.68	2.6		1			13.6	80	1	1	
void frac.	0.62713	0.80232	0.6254	0.549	0.82257	0.9349	0.9349	0.8307	0.8459	0.5749	0.8505	0.6426				1	0.8	0.7152	0.7152	
wt.% H2O	94.6986	92.3315	88.776	74.379	82.2641	74.482	76.861	90.678	95.597	77.458	73.58	74.065				94.733	51.848	98.281	95.973	
TOC wt.%C	0.85377	0.32255	0.2522	0	2.28832	0.0234	0.1035	0	0.0701	0.5069	5.4534	0.4166				0	0	0	0	
species																				
OH-	0.04067	0.04158	0.0641	0.2974	0.11822	0.0383	0.0495	0.0645	0.2059	0.1947	0.1778	0.4377				-0.494	0.6595	0.0517	0.0517	
NO3-	0.23056	0.37839	0.945	2.8016	1.00502	2.7635	0.9408	0.3215	0.151	1.6343	0.5262	1.4555				0.8	2.9166	0.1572	0.1572	
NO2-	0.01002	0.01002	0.01	0.0141	0.0858	0.0114	1.8341	0.4488	0.1311	0.0948	0.1246	1.0273				0	3.3	0.0241	0.014	
CO3--	0.21143	0.39094	0.2956	0.1925	0.00491	0.009	0.009	0.1459	0.009	0.2694	0.2476	0.2265				0	0.4	0.002	0.002	
PO4---	0	0	0	0.0001	0	0.0903	0.0903	0.0235	0	0.01	0	0.0136				0	0.119	0	0.1501	
SO4--	0.00401	0.00401	0.004	0.0069	0.06754	0.0542	0.0542	0.0818	0.016	0.0441	0.1024	0.1283				0	0.0357	0.004	0.004	
SiO3--	0	0	0	0	0	0	0	0.034	0.034	0.034	0.034	0.035				0	0	0	0	
F-	0	0	0	0	0	0	0.1205	0.1205	0.0004	0	0	0.0061				0	0.0714	0	0	
Cl-	0.00461	0.00692	0.0214	0.1156	0.04928	0.0637	0.0637	0.0179	0.0127	0.0622	0.0626	0.073				0	0.14	0.0032	0.0032	
C6H5O7---	0	0	0	0	0.04009	0	0	0	0.01	0.015	0	0.028				0	0	0	0	
EDTA----	0	0	0	0	0.08017	0	0	0	0	0	0.1506	0.0005				0	0	0	0	
HEDTA----	0	0	0	0	0	0	0	0	0	0	0.3012	0.001				0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0	0	
glycolate-	0	0	0	0	0	0	0	0	0	0	0.2006	0.3012	0.0064				0	0	0	0
acetate-	0	0	0	0	0.51109	0	0	0	0	0	0	0				0	0	0	0	
oxalate--	0	0	0	0	0	0	0	0	0	0	0	2E-09				0	0	0	0	
DBP	0.06075	0.02334	0.0185	0	0	0.0019	0.0083	0	0	0	3E-05	0.0178				0	0	0	0	
butanol	0.06075	0.02334	0.0185	0	0	0.0019	0.0083	0	0	0	3E-05	0.0178				0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0	0	
NH3	0	0	0	0	0.00027	2E-07	0.0629	0.0147	0.0028	0.0002	0.001	0.0255				0	0	0	0	
Fe(CN)6-----	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0	0	
Pu-239 (μCi/g)	0	0	0	30.018	0	0	0	30.025	29.986	30.005	29.996	30.352	0	0	0	0	0	0	0	
U-238 (M)	0	0	0	0	0	0.0001	0.6322	0.2763	0.3202	0	0.0489	0.0488	0	0	0	0	0	0	0	
Cs-137 (Ci/L)	0	0	0	0	0.034	0.0001	0.034	0.034	0.034	0.034	0.0915	0.0699	0	0	0	0	0	0	0	
Sr-90 (Ci/L)	0	0	0	0	0.034	0.0001	0.034	0.034	0.034	0.034	0.0915	0.0699	0	0	0	0	0	0	0	

pred. su mol/L	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltCk	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	A2-SltSlr	P3	PL2	CWZr2	BP/Cplx	BP/Ncplx	PASF
Na	4.9982	4.9802		6.6539	8.7509	8.8297		10.777	12.705		11.541		0	2.7573	0.6419	0.4916	0	0	0.06					
Al(OH)4-	0.2971	0.2331		1.5625	1.34	1.6011		1.6559	1.7465		1.6203		0	0.3188	0	0							0.002	
Fe	0.002	0.002	0.002		0.0005		0.002		0.0005	0.0009		0.001		0	0.002	0.002	0.002						0.002	
Cr	0.0079	0.0072		0.03	0.0311		0.03		0.0312	0.033		0.032		0	0	0.008	0						0	
Bi	0.004	0.004	9E-06		0.0022		0.0012		0.0019	0.0044		0.0041		0	0	0	0						0	
La	0	0	3E-11		1E-09	4E-06		2E-05	5E-05		2E-05		0	0	0	0							0	
Hg	1E-05	1E-05	1E-06		1E-05	1E-05		1E-05	1E-05		1E-05		0	0	0	0	1E-05						0	
Zr	0.003	0.003	4E-06		0.0014	0.0004		0.0011	0.0034		0.0031		0	0	0	0	0.003						0	
Pb	0	0	0.0002		0.0011	0.0016		0.0014	0.0038		0.0019		0	0	4E-05	0							0	
Ni	0.0018	0.0018	0.0018		0.0013	0.0018		0.0012	0.0014		0.0016		0	0	0.0018	0							0	
Sr	0	0	1E-11		5E-10	1E-06		8E-06	2E-05		6E-06		0	0	0	0							0	
Mn	0	0	6E-05		0.001	0.0042		0.0011	0.0014		0.0021		0	0	0.006	0							0	
Ca	0.009	0.009	0.009		0.0067	0.009		0.0061	0.0076		0.0082		0	0.009	0.009	0.009							0.009	
K	0.0209	0.0196	0.0291		0.0492	0.0484		0.0699	0.1808		0.1797		0	0.0111	0.0069	0.2245							0.0002	
balance	9E-16	-4E-15	2E-05		0.0007	0.001		0.0012	0.003		0.0013		0	-4E-16	1E-16	-1E-16							0	
density	1.2104	1.2044	1.3622		1.4203	1.4414		1.5186	1.5896		1.5409		1	1.1056	1.0241	1.0171							1.002	
vol%solids	17.683	11.446	13.82		55.385	48.966		55.173	99		45.523		90	3.9	2	10.5							0.6	
void frac.	0.7496	0.731	0.8732		0.7922	0.779		0.7221	0.5624		0.6159		0.5	0.789	0.8882	0.8503							0.7842	
wt.% H2O	68.357	68.569	60.8		54.129	53.953		47.268	40.222		44.166		100	87.097	95.386	94.866							99.388	
TOC wt.%C	0.0003	0.0003	0.0083		0.7586	0.6505		1.0953	2.8233		1.7719		0	0	0.048	0							0	
species	excludes hydroxide bound to Al												excludes hydroxide bound to Al											
OH-	0.0243	0.0765		0.004	0.4036		0.4152		0.4561	1.0305		0.7409		0	1.4358	0.0164	0.1077							0.016
NO3-	2.8005	2.8004	2.7988		2.7545	2.8017		2.7619	2.9383		2.7766		0	0.1735	0.2507	0.3929								0.0663
NO2-	0.3988	0.3963	2.1225		1.9977	2.2363		3.3538	3.4604		3.4329		0	0.4492	0.0167	0.0079								0
CO3--	0.1807	0.1932	0.0152		0.3968	0.3705		0.4204	0.4678		0.4391		0	0.009	0.1112	0.009								0.0005
PO4---	0.15	0.15	0.0006		0.1504	0.088		0.151	0.159		0.1527		0	0	0.0697	0							0	
SO4--	0.1947	0.1894	0.0506		0.2917	0.2455		0.3537	0.3975		0.3933		0	0.1359	0.0041	0							0	
SiO3--	0.034	0.0321	0.034		0.0278	0.034		0.0263	0.0309		0.0321		0	0.034	0	0							0	
F-	0.2112	0.1999	0.0005		0.1193	0.0765		0.1012	0.2564		0.2444		0	0.0302	0	0.24							0	
Cl-	0.1177	0.1116	0.1335		0.1708	0.1632		0.1736	0.1823		0.1746		0	0.051	0.0039	0.0047								0.0009
C6H5O7---	0	0	0.0005		0.0221	0.0308		0.0388	0.0954		0.0447		0	0	0	0							0	
EDTA----	0	0	2E-05		0.0134	0.0069		0.02	0.058		0.0426		0	0	0	0							0	
HEDTA---	0	0	1E-05		0.026	0.0009		0.0379	0.1086		0.0755		0	0	0	0							0	
	0	0	0		0	0		0	0		0		0	0	0	0							0	
glycolate-	0	0	0.0007		0.0794	0.0217		0.1192	0.3115		0.16		0	0	0	0							0	
acetate-	0	0	7E-05		0.0025	0.0411		0.007	0.0234		0.0313		0	0	0	0							0	
oxalate--	0	0	3E-11		1E-09	4E-06		2E-05	4E-05		2E-05		0	0	0	0							0	
DBP	3E-05	3E-05	0.0004		0.0173	0.0327		0.0268	0.0693		0.0369		0	0	0.0034	0							0	
butanol	3E-05	3E-05	0.0004		0.0173	0.0327		0.0268	0.0693		0.0369		0	0	0.0034	0						0		
	0	0	0		0	0		0	0		0		0	0	0	0							0	
NH3	0.0012	0.0012	0.0355		0.015	0.0132		0.0248	0.0451		0.1885		0	0.0172	1E-05	0.7823							0.0501	
Fe(CN)6----	0	0	0		0	0		0	0		0		0	0	0	0							0	
Pu-239 (μCi/g)	15.262	18.149	30.009		24.411	30.02		22.966	25.399		28.425		0	30	4.6515	30							0	
U-238 (M)	0.004	0.004	0.004		0.0034	0.004		0.0033	0.0033		0.004		0	0.004	0.0005	0.0032							0	
Cs-137 (Ci/L)	0.0162	0.0171	0.2967		0.2799	0.1746		0.3664	0.9596		0.4826		0	2.6444	0.0301	0.0022							0	
Sr-90 (Ci/L)	0.023	0.0234	0.034		0.0318	0.034		0.0314	0.0326		0.0298		0	0.034	0.0261	0.0019							0	

prec. solids mol/L	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWzr1	
NaNO3																								
NaNO2																								
NaCl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NaF	0	0	0	0.002	0	0	1.8347	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5.08069	
Sr(OH)2							1.5644																	
Na2CO3.7H2O	1.6642	2.479	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	0	-0	-0	-0	-0	-0	
Na3PO4.10H2O	0	0	0	0	0	0	-0	0	-0	-0	0	-0	0	0	0	0	0	0	0	0	0	0	0	
Na3PO4.12H2O	0.34605	0.3658	1.153	0.721	0.8102	0	0	0	0	0	0	0.09182	0	0	0	0	0	0	0	0	0	0	0	
Na2SO4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Na2SO4.10H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Na2SiO3	0	0	0.04	0.023	0.0518	0	0	0	0.02942	0.03403	0	0.085878	0	0.458	0	0	0.5935	1.4966	0	0	0	0	0	
(Al2O3.3H2O)/2	0	0	0.34	0.842	0	0	0	0	0	0	0.14139	0.271833	3.756	4.1632	4.9383	5.3793	0	0	0	4.4444	5.3793	0	0	
NaAlO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
FeO(OH)	0.11795	0.1182	0.322	0.177	0.5593	0.78322	0.3593	1.57156	0.75686	0.87512	0	0.000152	1.011	2.6851	0.1637	0.4556	2.6277	2.9592	2.909331	0.1633	0.4556	0.12599		
Cr(OH)3	0	0	0	0	0	0	0	0	0	0	0	0	0.85	4.3816	0	0	0	0	0	0	0	0	0	
MnO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
BiPO4	0	0	0.074	0.041	0.0891	0.03731	0.0571	0	0.24352	0.28158	0	0.208633	0	0	0	0	0	0	0	0	0	0	0	
Pb(OH)2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1166	0.3245	0	0	0	0.1163	0.3245	0	
(La2O3)/2	0	0	0	0	0	0	0.2318	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HgO	0	0	0	1E-04	5E-05	0	0	0	0	0	0	0	0	0	0	0.0041	0.011	0	0	0	0	0.0025	0.0059	0.00199
Na3cit.5H2O																								
Na Acetate																								
Na 2 Oxalate	0	0	0	0	0	0	0.6385						0	0	0	0	0	0	0	0	0	0	0	
Na3EDTA																								
Na4EDTA																								
CaCO3.6H2O	0.0809	0.0821	0.069	0.038	0.1367	0.26783	0.2362	0.3368	0.2554	0.29528	0.78628	0.22984	0.207	0.5018	0.1149	0.315	0.4137	0.2358	0.426148	0.1129	0.3142	0.08723		
Ni(OH)2	0	0	0	0	0	0	0	0	0	0.05007	0.29291	0.085484	0.049	0.1166	0	0	0.1002	0.0567	0.100216	0	0	0		
ZrO2·2H2O	0	0	0.008	0.005	0	0	0	0	0	0	0	0.021058	0	0	0	0	0	0	0	0	0	0	0.92422	
Na2NiFe(CN)6.6H2O									0.13514	0.07813	0.35714	0.104167												
UO2(OH)2*6H2O	1.98647	1.9765	0	0	0	0	0	0.13608	0.10298	0.11908	0.27165	0	0.018	0.2659	0.1809	0.4826	0.028	0.1721	0	0.0953	0.2038	0		

prec. solids mol/L	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
NaNO3						0	0	0			0	0	0			0.4576	0	0	
NaNO2						0	0	0			0	0	0			1.5975	0	0	
NaCl	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.478	0	0	
NaF	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	
Sr(OH)2																			
Na2CO3.7H2O	-0	-0.0837	-0	-0	0	-0	-0	0	-0	0	0	-0	-0		0	0.83	-0	-0	
Na3PO4.10H2O	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	
Na3PO4.12H2O	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0	
Na2SO4	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0.4	0.4	
Na2SO4.10H2O	0	0	0	0	0	0	0	0	0	0	0	1.1338	0		0	0	0.028	0.028	
Na2SiO3	0	0	0	0	0	0	0	2.2387	1.2	2.3666	1.7738	3.3269	3.1636		0	0	0	0	
(Al2O3.3H2O)/2	0	0	0	10.87	0	0.4103	0.4103	0.0529	1.162	5.7647	0	1.459	0		0	0.1925	0	0	
NaAlO2	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.615	0	0	
FeO(OH)	6.33408	3.45498	6.3341	1.6835	5.66703	1.0863	1.0863	1.3001	1.0003	2.2067	1.5003	0	0.3454		0	0	4	4	
Cr(OH)3	0	0	0	0	0	0	0	0	0	0	0	1.4089	0		0	0	0.8	0.8	
MnO2	0	0.27469	0	0	0	0	0	0	0	0	0	0.1916	0		0	0	0	0	
BiPO4	0	0	0	0	0	0	0	0	0	0	0	0.006	0		0	0	0	0	
Pb(OH)2	0	0	0	0	0.15029	0	0	0	0	0	0	0	0.0084	0		0	0	0	
(La2O3)/2	0	0	0	0	0	0	0	0	0	0	0	0	7E-08	0		0	0	0	
HgO	0	0	0	0	0	0	0	0	0	0	0	0	6E-05	0		0	0	0	
Na3cit.5H2O																			
Na Acetate																			
Na 2 Oxalate	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	
Na3HEDTA																			
Na4EDTA																			
CaCO3.6H2O	1.50736	0.82341	1.5219	0.4141	0	0.1614	0.1614	0.1021	0.2144	0.1982	0.1291	1.0996	1.5188		0	0	0.9037	0.9037	
Ni(OH)2	0.36734	0.20039	0.3673	0.0964	0.18366	0.038	0.038	0.1375	0.0404	1.2066	0	0.2428	0.3075		0	0	0.4	0.4	
ZrO2•2H2O	0	0	0	0	0	0	0	0	0	0	0	0.0035	0		0	0	0	0	
Na2NiFe(CN)6.6H ₂ O																			
UO2(OH)2*6H2O	0	0	0	0	0	0.0939	0	0.457	0.5581	0.9999	0.3183	0.4095			0	0	0	0	

prec. solids mol/L	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltCk	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	A2-SltSlr	P3	PL2	CWZr2	BP/Cplx	BP/NCplx	PASF
NaNO3		1.6704		1.0407		2.847		4.7642		4.2307		5.4778		3.2546		4.4392		0						
NaNO2		0		0		0		0		0		0.1647		2.8396		0.7465		0						
NaCl		0		0																	0	0	0	0
NaF		0		0																0	0	5.0837		0
Sr(OH)2																								
Na2CO3.7H2O		0		0		-0		0.0935		0.1465		0.1701		0.4056		0.3125		0	-0	-0	-0	-0	-0	-0
Na3PO4.10H2O		1.2464		1.5365		0		0.0135		0		0		0.2415		0.3293		0	0	0	0	0	0	0
Na3PO4.12H2O																				0	0	0	0	0
Na2SO4		0		0		0		0		0		0		0		0		0	0	0	0	0	0	0
Na2SO4.10H2O		0		0		0		0		0		0		0.3504		0.1822		0	0	0	0	0	0	0
Na2SiO3		0.0061		0		0.099		0.084		0.0518		0.1062		0.0563		0.1555		0	1.4977	0	0	0	0	0
(Al2O3.3H2O)/2		0		0		0		0		0		0		0		0		0	0.6103	0	0	0	0	0
NaAlO2		0		0		0		0		0.8985		0.8519		1.5323		1.4528		0	0	0	0	0	0	0
FeO(OH)		0.2035		0.2207		0.0153		0.0136		0.0145		0.0122		0.0025		0.0121		0	2.9592	1.9002	0.3622			1.3336
Cr(OH)3		0		0		0.2014		0.0348		0.0273		0.0823		0.0359		0.0464		0	0	0	0	0	0	0
MnO2		0		0		0		0.004		0		0.0052		0.0016		0.0043		0	0	0	0	0	0	0
BiPO4		0.043		0.0426		0		0		0		0		0.0032		0.0049		0	0	0	0	0	0	0
Pb(OH)2		0		0		0		0		0.0044		0		0		0		0	0	0	0	0	0	0
(La2O3)/2	0	0	0	0	0	0	0	1E-09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HgO	0	4E-05	0	3E-05	0	0	0	7E-07	0	3E-05	0	2E-06	0	2E-05	0	4E-05	0	0	0	0	0.0021	0	0	0
Na3cit.5H2O																								
Na Acetate																								
Na 2 Oxalate		0		0		0		0		0		0		0		0		0	0	0	0	0	0	0
Na3HEDTA																								
Na4EDTA																								
CaCO3.6H2O		0.0839		0.1068		0.0689		0.0546		0.0664		0.0522		0.015		0.0521		0	0.2393	0.4518	0.0872			1.5019
Ni(OH)2		0.0067		0.0101		0.0135		0.0103		0.0121		0.0099		0.0028		0.0094		0	0	0.1102	0			0
ZrO2•2H2O		0.0017		0.0012		0		0		0		0		0.002		0.0052		0	0	0	0.9243			0
Na2NiFe(CN)6.6H2O																								
UO2(OH)2*6H2O		0.003		0.0047		0.0304		0.0162		0.0227		0.0183		0.005		0.0133		0	0.8816	0	0			0

cc/L solids	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1
NaNO3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NaNO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NaCl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NaF	0	0	0	0.034	0	0	30.117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	83.4004
Sr(OH)2	0	0	0	0	0	0	52.492	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2CO3.7H2O	255.802	381.04	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0
Na2CO3.10H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na3PO4.10H2O	0	0	0	0	0	0	0	-0	0	-0	0	-0	0	0	0	0	0	0	0	0	0	0	0
Na3PO4.12H2O	81.1984	85.821	270.6	169.1	190.11	0	0	0	0	0	0	21.54484	0	0	0	0	0	0	0	0	0	0	0
Na2SO4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2SO4.10H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2SiO3	0	0	2.013	1.179	2.6321	0	0	0	1.4961	1.73087	0	4.367619	0	23.295	0	0	30.184	76.116		0	0	0	0
Al2O3.3H2O	0	0	10.96	27.15	0	0	0	0	0	0	4.55749	8.762132	121.1	134.19	159.18	173.39	0	0	0	0	143.26	173.39	0
NaAlO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	166.88	0	0	0	0	0	0	0	0
FeO(OH)	3.47007	3.4778	9.467	5.211	16.454	23.0427	10.571	46.2361	22.2671	25.7464	0	0.004486	29.76	78.997	4.8152	13.404	77.308	87.061	85.59405	4.8036	13.404	3.70669	
Cr(OH)3	0	0	0	0	0	0	0	0	0	0	0	0	24.8	127.82	0	0	0	0	0	0	0	0	0
MnO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BiPO4	0	0	3.567	1.971	4.2847	1.79348	2.7436	0	11.7063	13.5356	0	10.02909	0	0	0	0	0	0	0	0	0	0	0
Pb(OH)2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4.6879	13.046	0	0	0	4.6759	13.046	0	0
La2O3	0	0	0	0	0	0	5.8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HgO	0	0	0.002	1E-03	0	0	0	0	0	0	0	0	0	0	0	0.0795	0.2149	0	0	0	0.0491	0.1152	0.03887
Na3cit.5H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NaAcetate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2Oxalate	0	0	0	0	0	0	36.561	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na3HEDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na4EDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CaCO3.6H2O	9.51026	9.6492	8.137	4.508	16.072	31.4837	27.769	39.591	30.0224	34.7103	92.4263	27.01759	24.37	58.986	13.511	37.027	48.631	27.722	50.09345	13.273	36.929	10.2542	
Ni(OH)2	0	0	0	0	0	0	0	0	0	1.27197	7.44066	2.171529	1.251	2.9615	0	0	2.5463	1.4411	2.545759	0	0	0	0
ZrO(OH)2	0	0	0.403	0.228	0	0	0	0	0	0	0	0	1.031836	0	0	0	0	0	0	0	0	0	45.2869
Na2NiFe(CN)6.6H2O			0	0	0	0	0	0	31.8739	18.4271	84.2381	24.56944	0	0	0	0	0	0	0	0	0	0	0
UO2(OH)2*6H2O	292.295	290.83	0	0	0	0	0	20.0238	15.1533	17.5214	39.972	0	2.703	39.131	26.611	71.018	4.127	25.32	0	0	14.021	29.989	0

cc/L solids	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
NaNO3	0	0	0	0	0	0	0	0	0	0	0	0	0			0	17.203	0	0
NaNO2	0	0	0	0	0	0	0	0	0	0	0	0	0			0	50.843	0	0
NaCl	0	0	0	0	0	0	0	0	0	0	0	0	0			0	12.903	0	0
NaF	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Sr(OH)2	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Na2CO3.7H2O	-0	-12.871	-0	-0	0	-0	-0	0	-0	0	0	-0	-0			0	127.58	-0	-0
Na2CO3.10H2O	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Na3PO4.10H2O	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Na3PO4.12H2O	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Na2SO4	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	21.2	21.2
Na2SO4.10H2O	0	0	0	0	0	0	0	0	0	0	0	249.53	0			0	0	6.1621	6.1621
Na2SiO3	0	0	0	0	0	0	0	113.86	61.03	120.36	90.213	169.2	160.9			0	0	0	0
Al2O3.3H2O	0	0	0	350.36	0	13.227	13.227	1.7063	37.455	185.82	0	47.03	0			0	6.2049	0	0
NaAlO2	0	0	0	0	0	0	0	0	0	0	0	0	0			0	18.671	0	0
FeO(OH)	186.352	101.647	186.35	49.528	166.727	31.96	31.96	38.25	29.428	64.922	44.14	0	10.162			0	0	117.68	117.68
Cr(OH)3	0	0	0	0	0	0	0	0	0	0	0	41.101	0			0	0	23.338	23.338
MnO2	0	7.02069	0	0	0	0	0	0	0	0	0	4.8959	0			0	0	0	0
BiPO4	0	0	0	0	0	0	0	0	0	0	0	0.2901	0			0	0	0	0
Pb(OH)2	0	0	0	0	6.04172	0	0	0	0	0	0	0.3357	0			0	0	0	0
La2O3	0	0	0	0	0	0	0	0	0	0	0	0	2E-06			0	0	0	0
HgO	0	0	0	0	0	0	0	0	0	0	0	0.0012	0			0	0	0	0
Na3cit.5H2O	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
NaAcetate	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Na2Oxalate	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Na3HEDTA	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Na4EDTA	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
CaCO3.6H2O	177.189	96.7919	178.9	48.673	0	18.969	18.969	12.004	25.205	23.302	15.176	129.26	178.53			0	0	106.23	106.23
Ni(OH)2	9.33142	5.09051	9.3314	2.4493	4.6655	0.9662	0.9662	3.4924	1.0273	30.651	0	6.1674	7.8123			0	0	10.161	10.161
ZrO(OH)2	0	0	0	0	0	0	0	0	0	0	0	0.1704	0			0	0	0	0
Na2NiFe(CN)6.6H2O	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
UO2(OH)2*6H2O	0	0	0	0	0	13.819	0	67.245	82.118	147.13	46.838	60.261				0	0	0	0

cc/L solids	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltCk	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	A2-SltSlr	P3	PL2	CWZr2	BP/Cplx	BP/NCplx	PASF
NaNO3		62.796		39.123		107.03		179.1		159.05		205.93		122.35		166.89		0	0	0	0	0		0
NaNO2		0		0		0		0		0		5.241		90.373		23.757		0	0	0	0	0		0
NaCl		0		0		0		0		0		0		0		0		0	0	0	0	0	0	0
NaF		0		0		0		0		0		0		0		0		0	0	0	83.45	0	0	0
Sr(OH)2		0		0		0		0		0		0		0		0		0	0	0	0	0		0
Na2CO3.7H2O		0		0		-0		14.375		22.521		26.15		62.343		48.033		0	-0	-0	-0			-0
Na2CO3.10H2O		0		0		0		0		0		0		0		0		0	0	0	0	0		0
Na3PO4.10H2O		169.12		208.48		0		1.8291		0		0		32.768		44.678		0	0	0	0	0		0
Na3PO4.12H2O		0		0		0		0		0		0		0		0		0	0	0	0	0		0
Na2SO4		0		0		0		0		0		0		0		0		0	0	0	0	0		0
Na2SO4.10H2O		0		0		0		0		0		0		77.118		40.089		0	0	0	0	0		0
Na2SiO3		0.3091		0		5.0352		4.2746		2.6339		5.4026		2.865		7.9088		0	76.172	0	0			0
Al2O3.3H2O		0		0		0		0		0		0		0		0		0	19.671	0	0			0
NaAlO2		0		0		0		0		27.279		25.864		46.52		44.107		0	0	0	0			0
FeOOH		5.9866		6.4925		0.4502		0.3988		0.4266		0.3592		0.0726		0.3556		0	87.062	55.904	10.656			39.235
Cr(OH)3		0		0		5.8747		1.0148		0.7961		2.4001		1.047		1.3526		0	0	0	0			0
MnO2		0		0		0		0.101		0		0.1321		0.0401		0.1105		0	0	0	0			0
BiPO4		2.0692		2.0466		0		0		0		0		0.1549		0.235		0	0	0	0			0
Pb(OH)2		0		0		0		0		0.1778		0		0		0		0	0	0	0			0
La2O3	0	0	0	0	0	0	0	3E-08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HgO	0	0.0008	0	0.0006	0	0	0	1E-05	0	0.0006	0	4E-05	0	0.0003	0	0.0007	0	0	0	0	0	0.0408	0	0
Na3cit.5H2O		0		0		0		0		0		0		0		0		0	0	0	0	0		0
NaAcetate		0		0		0		0		0		0		0		0		0	0	0	0	0		0
Na2Oxalate		0		0		0		0		0		0		0		0		0	0	0	0	0		0
Na3HEDTA		0		0		0		0		0		0		0		0		0	0	0	0	0		0
Na4EDTA		0		0		0		0		0		0		0		0		0	0	0	0	0		0
CaCO3.6H2O		9.857		12.556		8.1029		6.4223		7.8011		6.1305		1.7643		6.1255		0	28.13	53.104	10.255			176.54
Ni(OH)2		0.171		0.2566		0.3439		0.2612		0.3072		0.2523		0.0701		0.2376		0	0	2.8003	0			0
ZrO(OH)2		0.0818		0.0564		0		0		0		0		0.0967		0.2541		0	0	0	45.289			0
Na2NiFe(CN)6.6H2O		0		0		0		0		0		0		0		0		0	0	0	0			0
UO2(OH)2*6H2O		0.4466		0.688		4.4682		2.3857		3.3347		2.6934		0.739		1.9574		0	129.73	0	0			0

frac. prec. solids	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1	
NaNO3	0	0	0	0	0	0	0	0.17895	0.17917	0.17919	0	0	0.335	0	0	0	0	0	0	0.027839	0	0	0	
NaNO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NaCl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NaF	0	0	0	0.002	0	0	0.2308		0	0	0	0	0										0.69282	
Sr(OH)2							0.9685																	
Na2CO3	0.38472	0.4814	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Na3PO4	0.2307	0.2438	0.527	0.561	0.2755	0	0	0	0	0	0	0	0.02937	0	0	0	0	0.9	0.9		0	0.9	0.9	0.9
Na2SO4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Na2SiO3	0	0	0.143	0.152	0.0951	0	1	1	0.0311	0.03112	1	0.108478	0	0.2051	0	1	0.2782	0.6335	0.63	1	0	1	1	
Al2O3.3H2O	0.6	0.6	0.2	0.9	0.3	0.6	0.8	0.07	0.07	0.07	0.07	0.07	0.26	0.07	0.2	0.2	0.07	0.07		0.3	0.3	0.2	0	
NaAlO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2226	0	0	0	0	0	0	0	0	
FeO(OH)	0.88461	0.8866	0.958	0.959	0.9508	0.93027	0.8758	0.9566	0.93346	0.93346	1	0.003659	0.958	0.9626	0.8722	0.8692	0.9667	0.9831	0.95	0.969777	0.8701	0.8692	0.87032	
Cr(OH)3	0	0	0	0	0	0	0	0	0	0	0	1	0	0.563	0.7367	0	0	0	0	0	0	0	0	
MnO2	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
BiPO4	1	1	0.726	0.729	0.6061	0.24113	0.359	1	0.69311	0.69311	1	0.715312	1	1	1	1	1	1	1	1	1	1	1	
Pb(OH)2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0.8587	0.8555	1	1		0	0.8565	0.8555	1
La2O3	0.60255	0.6025	0.603	0.603	0.6025	0.60255	0.6026	0.60255	0.60255	0.60255	0.60255	0.602547	0.603	0.6025	0.6025	0.6025	0.6025	0.6025	0.6025	0.6	0.602547	0.6025	0.6025	0.60255
HgO	1	1	0.585	0.568	1	1	1	1	1	1	1	1	1	1	1	0.9714	0.9698	1	1	1	1	0.9539	0.9452	0.95503
Na3cit.5H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Na Acetate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Na 2 Oxalate	0	0	0	0	0	0	0	0.83	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Na3HEDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Na4EDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CaCO3.6H2O	0.53886	0.5467	0.524	0.528	0.5121	0.50343	0.5075	0.51213	0.51265	0.51264	0.55039	0.551617	0.511	0.5163	0.5157	0.5052	0.5035	0.5072	0.5	0.510825	0.5072	0.5045	0.50802	
Ni(OH)2	0	0	0	0	0	0	0	0	0.64092	0.64092	0.82014	0.820647	0.554	0.5538	0	0	0.5513	0.5531		0.551188	0	0	0	
ZrO(OH)2	1	1	0.281	0.289	1	1	1	1	1	1	1	0.252694	1	1	1	1	1	1	1	1	1	1	1	0.97043
Na2NiFe(CN)6.6H2O			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Pu	0	0.5	0	0	0	0	0	0	0	0	0.5	0	0	0	0.8752	0.8313	0.1904	0.6524		0.805709	0.6835	0.6382	0.69742	
UO2(OH)2*6H2O	0.98475	0.9849	0	0	0	0	0	0.48851	0.48851	0.48851	0.48852	0.48758	0	0.173	0.5602	0.7904	0.7789	0.134	0.6282	0.89	0	0.6615	0.5978	0
Cs	0	0	0	0	0	0	0	0.01	1	1	1	1	0	0.005	0	0	0	0	0.027839	0	0	0	0	
Sr	0	0	0	0	0	0	0	0	0	0	0	0	0	0.576	0.8147	0	0	0.839	0.9404	0	0	0	0	

frac. prec. solids	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
NaNO3	0	0	0	0.2456	0	0	0	0	0	0	0	0	0			0	0.13	0	0
NaNO2	0	0	0	0	0	0	0	0	0	0	0	0	0				0.3156	0	0
NaCl	0	0	0	0	0	0	0	0	0	0	0	0	0				0.7648	0	0
NaF	0	0	0	0		0	0	0				0					0	0	0
Sr(OH)2	0	0	0																
Na2CO3	0	0.00218	0	0	0	0	0	0	0	0	0	0	0				0.664	0	0
	0	0	0																
	0	0	0																
Na3PO4	0	0	0	0	0	0	0	0	0.9	0	0	0	0				0	1	0.5843
	0	0	0																
Na2SO4	0	0	0	0	0	0	0	0	0	0	0	0.1773	0				0	0	0
Na2SiO3	0	0	0	1	1	1	1	0.6722	0.15	0.3219	0.5765	1	0.4755				1	1	1
Al2O3.3H2O	0	0	0	0.5	0.1	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0			0.07	0.07	0.07
NaAlO2	0	0	0	0	0	0	0	0	0	0	0	0	0				0.2236	0.23	0.23
FeO(OH)	0.95011	0.95012	0.9501	0.9513	0.97149	0.9693	0.9693	0.9529	0.7145	0.8827	0.9514	0	0.6362				1	0.9501	0.9501
Cr(OH)3	0	0	0	0	0	0	0	0	0	0	1	1	0				1	0	0
MnO2	0	0.2518	0	1	1	1	1	1	0	1	1	1	1	0			0	1	1
BiPO4	0	0	0	1	1	1	1	1	0	1	1	1	1	0			1	1	1
Pb(OH)2	0	0	0	1	0.53044	1	1	0	0	1	1	1	1	0			1	1	1
La2O3	0	0	0	0.6025	0.60255	0.6025	0.6025	0.6025	0.6025	0.6025	0.6025	0.6025	0				0.6025	0.6025	0.6025
HgO	0	0	0	1	1	1	1	0	1	1	1	1	0				1	1	1
Na3cit.5H2O	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0
Na Acetate	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0
Na 2 Oxalate	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0
Na3HEDTA	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0
Na4EDTA	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0
CaCO3.6H2O	0.50178	0.50219	0.5042	0.5166	0	0.5106	0.5106	0.2611	0.1065	0.1306	0.2723	0.9	0.6209				0.9	0.5016	0.5016
Ni(OH)2	0.55101	0.55108	0.551	0.5544	0.55098	0.5515	0.5515	0.704	0.1011	0.8205	1	1	0.6334				1	0.551	0.551
ZrO(OH)2	0	0	0	1	1	1	1	0	1	1	1	1	0				1	1	1
Na2NiFe(CN)6.6H2O	0	0	0	1	1	1	1	1	1	1	1	1	1	0			1	1	1
Pu	0	0	0	0.9525	0.8	0.8	0.8	0.9073	0.773	0.5397	0.7665	0	0.5097				0.8	0.8	0.8
UO2(OH)2*6H2O	0	0	0	0	0	0	0	0.5774	0	0.3637	0.4875	0.8671	0.7726	0.497			0	0	0
Cs	0	0	0	0.2456	0	0	0	0	0	0	0	0	0				0.16	0.16	0.16
Sr	0	0	0	0	0.86429	0	0.9351	0.9153	0.8175	0.4843	0.7	0.0765	0				1	1	1

frac. prec. solids	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltC k	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	SI-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	AZ-SltSlr	P3	PL2	CWZr 2	BP/ Cplx	BP/ NCplx	PASF
NaNO3		0.0994		0.042		0.1252		0.5198		0.4533		0.5638		0.6593		0.4687		0	0	0	0	0	0	0
NaNO2		0		0		0		0		0		0.031		0.589		0.1071		0.3694	0	0	0	0	0	0
NaCl		0		0		0		0.2349		0		0.3532		0.6409		0.365		0.2237	0	0	0	0	0	0
NaF		0		0		0		0		0		0		0.5545		0.5184		0	0	0	0.6932			0.6932
Sr(OH)2						0				0														
Na2CO3		0		0		0		0.1356		0.1914		0.2175		0.6023		0.2936		0.1935	0	0	0			0
Na3PO4		0.6286		0.5761		0		0.0531		0		0		0.7263		0.5457		0	0.9	0	0.9			0.9
Na2SO4		0		0		0		0		0		0		0.6063		0.2035		0.0263	0	0	0	0	0	0
Na2SiO3		0.032		0		0.2905		0.6545		0.4554		0.7249		0.761		0.7278		0.4794	0.634	1	1			1
Al2O3.3H2O		0		0		0		0		0		0		0		0		0	0.07	0.3	0			0
NaAlO2		0		0		0		0		0.2356		0.2511		0.6051		0.331		0.0942	0	0	0			0
FeO(OH)		0.9495		0.9287		0.5184		0.9402		0.7991		0.9442		0.8265		0.8678		0.702	0.9831	0.9501	0.9508			0.8002
Cr(OH)3		0		0		0.4855		0.4118		0.3329		0.6318		0.655		0.4445		0.4295	1	0	1			1
MnO2		1		1		0		0.7052		0		0.759		0.6663		0.53		0.3269	1	0	1			1
BiPO4		0.6656		0.5569		0		0		0		0		0.5599		0.3939		0	1	1	1			1
Pb(OH)2		1		1		0		0		0.6027		0		0		0		0	1	0	1			1
La2O3		0.6025		0.6025		0		0.6025		0		0		0		0		0	0.6025	0.6025	0.6025	0.6025	0.6025	0.6025
HgO		0.4458		0.2725		0		0.0375		0.6095		0.1189		0.7378		0.6597		0.3106	1	1	0.957			1
Na3cit.5H2O		0		0		0		0		0		0		0		0		0	0	0	0	0	0	0
Na Acetate		0		0		0		0		0		0		0		0		0	0	0	0	0	0	0
Na 2 Oxalate		0		0		0		0		0		0		0		0		0	0	0	0	0	0	0
Na3HEDTA		0		0		0		0		0		0		0		0		0	0	0	0	0	0	0
Na4EDTA		0		0		0		0		0		0		0		0		0	0	0	0	0	0	0
CaCO3.6H2O		0.6328		0.5836		0.5185		0.8367		0.8018		0.847		0.7761		0.7771		0.6466	0.511	0.5014	0.5082			0.5005
Ni(OH)2		0.4089		0.3985		0.5141		0.836		0.7866		0.8491		0.7693		0.7688		0.6572	1	0.5512	1			1
ZrO(OH)2		0.0933		0.0434		0		0		0		0		0.5058		0.4783		0	1	1	0.9705			0.9705
Na2NiFe(CN)6.6H2O		1		1		1		1		1		1		1		1		1	1	1	1	1	1	1
Pu		0		0		0.3526		0.7191		0.7287		0.7568		0.7637		0.692		0.528	0.8589	0	0.7251			0.8
UO2(OH)2*6H2O		0.1231		0.1213		0.5163		0.7498		0.7566		0.7845		0.7258		0.6487		0.5064	0.8965	0	0			0
Cs		0.0994		0.042		0.015		0.05		0.2		0.1		0.05		0.05		0.08	0.034	0	0			0
Sr		0		0		0.491		0.7198		0.6252		0.7877		0.6973		0.6834		0.5403	0.9854	0	0			1

pred. sludge ppm	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1		
Na	66334.7	85416	86851	66898	76652	24484.5	75516	62431.4	66551.6	63671.2	53924.4	42667.74	36763	33115	101768	19151	33010	65479		49091.51	32279	18321	101047		
Al	0	0	9934	19019	0	0	0	0	0	0	3037.32	9495.289	75367	58182	170682	95574	0	0		0	98539	103182	0		
Fe	3794.08	3794.3	13981	8165	25018	38973.9	14647	66801.9	36435.7	38801.4	13610.3	4821.723	38145	67807	5199.9	15436	115068	116819		122686.9	6527	16664	5650.03		
Cr	36.9254	24.058	151.9	184.5	136.54	236.407	130.02	115.926	113.775	112.004	0	78.51944	30644	103389	59.76	73.426	275.22	239.16		271.365	94.683	79.29	108.997		
Bi	0	0	12464	7550	15394	7631.7	9172.4	0	37715.4	43367.3	0	36084.97	0	0	0	0	0	0		0	0	0	0		
La	0	0	0	0	0	0	23896	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0		
Hg	0	0	16.42	9.512	0	0	0	0	0	0	0	0	0	0	0	461.92	1336.6	0	0		0	359.08	774.21	317.92	
ZrO(OH)2	0	0	727.8	523.6	0	0	0	0	0	0	0	1767.969	0	0	0	0	0	0		0	0	0	66975.5		
Pb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13759	40807	0	0		8.109248	17272	44055	0	
Ni	20.8451	13.581	52.77	64.1	58.728	78.9468	57.288	65.4422	5862.86	5546.07	26107.3	9134.127	2005.5	3121.1	33.735	41.45	4681.3	2413.4		4508.896	53.45	44.76	61.5308		
Sr	0	0	0	0	0	0	99701	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0		
Mn	0	0	0	0	0	0	154.13	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0		
Ca	1930.38	1930.9	2343	1491	4599.3	9844.54	7097.9	10513.4	7717.71	8851.67	21725.1	7762.676	5796.7	9184.2	2732.5	7800	13231	6883.9		13124.23	3420	8399.1	3014.95		
K	6.12567	0	97.74	89.55	159.65	121.313	6463.5	470.049	482.716	473.885	279.98	123.9852	224.18	198.73	32.418	61.625	81.227	126.78		375.3164	32.628	46.935	5964.63		
balance	99.9908	103.15	100.3	99.92	99.935	99.9762	100.01	99.8113	101.015	100.471	101.136	101.0165	99.98	101.67	101.51	101.03	100.29	100.82		99.7232	101.75	101.12	101.065		
density	1.74666	1.7467	1.291	1.222	1.2519	1.12501	1.3763	1.31537	1.37007	1.37466	1.46546	1.229691	1.4832	2.2124	1.7718	1.6539	1.2761	1.4155		1.32511	1.4113	1.5319	1.26229		
vol%solids	12	12	13.7	24.9	6.8	3.4	3.9	2.8	3.7	3.2	1.4	4.8	4.5	1.9	8.1	2.9	2.2	3.9		2.2	8.1	2.9	10.5		
void frac.	0.35772	0.2292	0.695	0.791	0.7704	0.94368	0.8339	0.91417	0.93451	0.923	0.89558	0.925071	0.7988	0.5737	0.6508	0.7629	0.8413	0.8077		0.861767	0.8339	0.7631	0.85731		
wt.% H₂O	44.3758	43.437	70.85	74.27	71.419	81.4309	55.549	60.0521	60.2034	59.0713	63.36	77.08434	51.958	36.383	24.549	47.995	66.636	59.25		55.35137	57.862	50.992	66.2596		
TOC wt.%C	0	0	0	0	0	0	1.1208	0.0003	0.71016	0.40919	1.75469	0.609909	0	0	0	0	0	0		0	0	0	0		
free OH-	127.111	81.655	795.9	315.9	377.59	897.555	201.33	307.062	389.594	269.093	515.612	1685.321	106.71	100.74	95.057	91.11	2320.2	2011.3		583.0234	158.56	101.1	2776.4		
OH-	119575	118957	34503	44187	23162	36403.3	60750	71792.8	36230.1	42810	32234.3	25393.48	213418	291704	400335	236394	112247	122396		115126.9	210629	236537	57708.7		
NO3-	2216.81	1656	17966	19712	48000	36018.5	59809	103244	111458	109043	401.2	2785.915	1470.7	0.003	19981	24705	1E-06	7E-10		92087.34	24765	20899	13290.1		
NO2-	241.047	0	6379	9282	72.236	61.7331	0	12915	5158.15	5578.86	70695.2	22737.02	60583	33402	24903	6579.7	13673	19092		15740.48	21948	6747.2	299.93		
CO3-	64793.1	91097	3509	2232	6886.3	14739.8	10627	23332.9	11555.4	13253.2	32564.7	1124.33	8679.1	13751	4091.3	11679	19811	10307		19650.33	5120.6	12576	4514.15		
PO4---	21733.9	21756	97992	68393	76999	11865.8	6658.9	8601.14	25581.2	28018.2	7556.03	33925.52	0	0	0	0	0	0		5947.278	0	0	0		
SO4--	4510.56	2938.8	3324	4038	2978.8	2167.73	93.734	9476.15	12019.5	11832.4	940.646	1450.496	991.88	753.43	454.65	558.62	2771.3	8769.3		3512.823	720.35	603.23	100.675		
SiO3--	24.9335	16.245	1375	1151	1749.2	459.509	0	0	1254.44	1336.6	0	2680.201	224.58	6063.1	318.57	0	13694	30246		0	336.49	0	0		
F-	0	0	2433	2982	2613.3	1848.06	28090	0	2728.14	2685.67	0	3270.637	0	0	0	0	0	0		0	0	0	79573.5		
Cl-	25.5332	16.636	407.4	373.3	665.46	505.662	641.69	2526.98	2012.08	1975.26	1167.02	516.7995	934.43	828.34	135.13	256.87	338.57	528.46		1564.407	136	195.64	139.703		
C6H5O7---	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0		
EDTA----	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0		
HEDTA---	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0		
glycolate-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0		
acetate-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0		
oxalate--	0	0	0	0	0	0	41105	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0		
DBP	0	0	0	0	0	0	0	4.44068	0	0	0	0	0	0	0	0	0	0		0	0	0	0		
butanol	0	0	0	0	0	0	0	0	1.56757	0	0	0	0	0	0	0	0	0		0	0	0	0		
NH3	0.0342	0	2.362	7.684	0.0006	0.00086	0	11.2186	3.81314	4.60181	2858.32	434.4607	1508.8	2524.8	2.1108	0.6413	1780.3	2908		22.38488	1.8322	0.3689	8890.4		
NiFe(CN)6--	0	0	0	0	0	0	0	0	26692.2	15379.9	65952	22924.12	0	0	0	0	0	0		0	0	0	0		
Pu-239 (μCi/g)	0.00371	0	0.006	0.017	0.0118	0.01047	0.01	0.0032	0.00152	0.0015	0	0.020309	0.0108	0.0137	1.4406	3.0815	0.2752	1.0361	0	4.279232	0.5815	1.205	0.53949		
U-238 (M)	270906	269482	105.4	121.6	15.4	10.8905	0	25287.5	18541.3	21258.1	44706.2	141.9001	3461.6	28858	24647	69903	5859.7	29481	0	16634	32142	392.287			
Cs-137 (μCi/g)	0.48095	0	9.444	23.93	0.1533	0.2382	0	1.0183	9.7169	11.1976	1218.53	594.1425	53.444	84.293	1.4711	2.1055	171.32	396.34		47.67283	1.5362	1.3002	0.97256		
Sr-90 (μCi/g)	4.20389	0	0.084	0.214	0.0066	0.04863	0	16.7397	2.35508	2.31842	0	0.236822	703.38	3538	1.1903	1.7272	6316.8	9669.9		16.96031	1.2473	1.0666	0.80607		

pred. sludge ppm	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
Na	6164.35	12644.5	14407	27796	29003.5	62271	60408	99013	47576	77493	84795	122507	628983	0	6769.7	181276	15388	20091	
Al	0	0	0	171852	0	15269	14812	1475.5	23126	82370	0	4294.3	5534.4	25844	0	37649	0	0	
Fe	227792	144324	224495	54435	218740	48643	47187	55888	39079	62068	48019	11463	12888	15578.4	0	0	150176	148978	
Cr	168.341	250.079	165.45	156.9	236.939	312.47	303.12	567.51	61.484	0.003	0	559.45	0	0	0	0	28157	27932	
Bi	0	0	0	0	0	0	0	1.5486	0	0	0	9.6306	0	0	0	0	0	0	
La	0	0	0	0	0	0	0	0	0	0	0	0.0001	0	0	0	0	0	0	
Hg	0	0	0	0	0	0	0	0.0466	0	0	0	0.0962	0	0	0	0	0	0	
ZrO(OH)2	0	0	0	0	0	0	0	0.0241	0	0	0	2.4227	0	0	0	0	0	0	
Pb	0	0	0	0	21703.8	0	0	7.8744	0.1225	0	0	13.212	0	0	0	0	0	0	
Ni	13927.7	8859.34	13726	3309	7510.4	1866.5	1810.6	6272.6	1720.6	35690	0	10730	0	0	0	0	15833	15706	
Sr	0	0	0	0	0	0	0	0	0	0	0	0.004	0	0	0	0	0	0	
Mn	0	11579.4	19.277	0	0	0	0	93.48	0	0	0	80.365	0	0	70.104	0	0	0	
Ca	39042.4	24890.2	38848	9717.3	111.858	5447	5284.1	3377.1	6214.9	4103.8	3137.9	36182	8221.5	440880	0	0	24514	24319	
K	15.8224	317.318	85.876	227.67	1975.12	816.16	791.74	185.13	63.845	152.89	259.06	312.61	0	0	49.892	363.46	13.005	12.901	
balance	100.31	100.195	100.11	100.37	99.6819	100.9	100.8	100.95	100.73	100.59	100.33	101.86	100.4	100.21	99.467	103.6	100.29	100.29	
density	1.55322	1.33755	1.576	1.7282	1.44728	1.2494	1.2879	1.3008	1.4319	1.9866	1.7469	1.689	0.39	1.9	1.0188	1.6393	1.488	1.5	
vol%solids	0.6	1.1	0.6	2.3	1.2	5.8	5.8	.3.1	0.5	0.68	2.6	1	100	100	13.6	80	1	1	
void frac	0.62713	0.80232	0.6254	0.549	0.82257	0.9349	0.9349	0.8307	0.8459	0.5749	0.8505	0.6426	0	0	1	0.8	0.7152	0.7152	
wt.% H2O	42.3178	58.19	40.504	28.191	43.5675	64.436	65.026	69.261	65.215	33.614	49.218	54.476	-6	8	94.733	43.115	52.516	51.754	
TOC wt.%C	0.35321	0.20164	0.106	0	1.40796	0.0203	0.0871	0	0.0426	0.1707	2.9914	0.1546	0	0	0	0	0	0	
free OH-	279.152	424.018	432.65	1606	1142.27	487.35	610.52	700.12	2068.2	957.8	1471.4	2830.9	0	0	-8235	5471.6	422.65	419.28	
OH-	216300	151219	213328	379396	208685	78768	83987	58293	115701	265188	103656	55006	0	310742	-8235	98364	174074	172685	
NO3-	5771.74	14072.6	23250	55177	6.4E-13	128150	0.0189	0.0002	4E-19	26.865	0.1392	34331	0	0	48685	105554	4683.7	4646.4	
NO2-	186.146	276.53	182.95	206.71	28518.4	437.67	92659	22630	7666	23000	14573	17978	0	0	0	118909	532.15	307.95	
CO3--	63361.2	47258.7	64991	18047	167.48	8155.6	7911.6	10301	9305.3	10668	11669	59133	0	0	0	42099	36501	36210	
PO4---	0	0	0	4.2678	0	6420.1	6228	1422.5	0	275.66	0	492.28	0	0	0	5517.5	0	6796.5	
SO4--	155.489	230.987	152.82	209.67	3687.61	3896.3	3779.7	5016.8	908.69	1226.8	4788.9	4690.4	0	34884.9	0	1674.2	27815	27593	
SiO3--	0	0	0	0	0	0	0	48953	24106	33741	28988	52987	408385	94175.4	0	0	0	0	
F-	0	0	0	0	0	1712.6	1661.3	4.7848	0	0	0	44.294	0	0	0	662.31	0	0	
Cl-	65.9516	146.962	300.77	1301.5	992.314	1688.1	1637.6	404.23	266.12	637.3	1079.8	984.57	0	0	0	12752	54.206	53.773	
C6H5O7---	0	0	0	0	4307.27	0	0	0	1117.7	823.14	0	2017	0	0	0	0	0	0	
EDTA----	0	0	0	0	13127.3	0	0	0	0	0	0	21121	55.023	0	0	0	0	0	
HEDTA---	0	0	0	0	0	0	0	0	0	0	0	40190	106.03	0	0	0	0	0	
glycolate-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
acetate-	0	0	0	0	17144	0	0	0	0	0	0	0	0	0	0	0	0	0	
oxalate--	0	0	0	0	0	0	0	0	0	0	0	7E-05	0	0	0	0	0	0	
DBP	5150.18	2940.1	1545.6	0	0	295.94	1269.7	0	0	0	3.1154	1421.8	0	0	0	0	0	0	
butanol	1818.03	1037.86	545.61	0	0	104.47	448.19	0	0	0	1.0997	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NH3	0	0	0	0	5232.87	0.0019	9476.3	2521.6	1693.2	755.96	1116.8	165.08	0	0	0	0	0	0	
NiFe(CN)6--	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Pu-239 (µCi/g)	0	0	0	14.99	0	0	0	7.2753	14.277	2.6118	2.1827	1.878	0	0	0	0	0	0	
U-238 (M)	0	0	0	0	0	381.37	18049	440.86	76534	67145	136708	58091	0	0	0	0	0	0	
Cs-137 (µCi/g)	0	0	0	0	0	0.1033	458.91	176.45	189.18	0	23.787	18.583	0	0	0	0	0	0	
Sr-90 (µCi/g)	0	0	0	0	12460.6	0.085	6559.1	9094	21272	2367	4726.4	26.594	0	0	0	0	0	0	

pred. sludge ppm	B in	B-SltCk	T1 in	T1-SltCk	R in	RSlCk	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	A2-SltSlr	P3	PL2	CWZr 2	BP/ Cplx	BP/ NCplx	PASF	
Na		137909		137493		136532		175298		176264		198021		218714		206757		0	66836	11082	99104			888.86	
Al		3931.1		2958.7		24687		18060		35783		32089		37697		37085		0	13073	0	0			0	
Fe		7489.9		7985.9		638.53		492.35		554.38		407.07		92.359		398.19		0	92966	89807	15924			61271	
Cr		201.16		176.06		7937.2		1948.2		1628.7		3166.3		1573.5		1926.5		0	0	313.1	0				0
Bi		6295.6		6120.7		1.0579		228.92		116.19		163.58		663.12		872.39		0	0	0	0			0	
La		0		0		3E-06		0.0002		0.2771		1.3458		1.9869		0.8756		0	0	0	0			0	
Hg		6.6911		5.0404		0.1595		1.1758		4.4931		1.1571		2.6758		4.7868		0	0	0	329.62			0	
ZrO(OH)2		233.89		196.41		0.224		65.917		16.73		43.84		196.05		363.64		0	0	0	66243			0	
Pb		0		0		26.117		113.91		726.14		124.05		248.45		138.28		0	0	6.7754	0				0
Ni		310.42		431.47		594.91		417.63		489.71		367.04		116.62		339.4		0	0	5551.4	0				0
Sr		0		0		5E-06		6E-05		0.1945		0.8843		0.843		0.7259		0	0	0	0			0	
Mn		0		0		2.024		165.3		110.45		189.52		71.545		173.38		0	0	248.1	0				0
Ca		2375.9		2925.6		2064.3		1514.4		1817.9		1317.3		429.01		1285.6		0	5552.6	15580	2980.2			49695	
K		400.21		361.14		666.75		961.47		910.84		1145.7		2209.1		2426.8		0	192.37	201.58	5849			5.0458	
balance		100.53		100.47		104.18		103.14		103.72		103.31		102.7		102.87		100	101.71	100.03	100.95			100.05	
density		1.5284		1.5535		1.491		1.5859		1.6179		1.7217		1.7997		1.7829		0.5	1.7786	1.1827	1.2763			1.217	
vol%solids		17.683		11.446		13.82		55.385		48.966		55.173		99		45.523		90	3.9	2	10.5			0.6	
void frac.		0.7496		0.731		0.8732		0.7922		0.779		0.7221		0.5624		0.6159		0.5	0.789	0.8882	0.8503			0.7842	
wt.% H2O		55.646		57.172		50.215		40.126		37.378		30.542		26.057		28.906		100	49.287	74.594	64.507			75.533	
TOC wt.%C		0.0002		0.0002		0.0066		0.5382		0.4515		0.6976		1.4025		0.9431		0	0	0.0369	0				0
free OH-		202.41		612.14		40.195		3427.7		3398.5		3252.1		5474.5		4350.9		0	10827	209.23	1220.1			175.45	
OH-		17328		15893		72059		51933		96679		88412		102044		100793		0	173353	85314	64995			56063	
NO3-		152915		123231		219998		271565		245767		269080		169054		213834		0	7E-10	11404	16204			2648.7	
NO2-		8996.4		8577.1		57175		45906		49532		69106		122324		73805		0	12705	779.26	261.64			0	
CO3--		8610.8		9581.3		3309.2		17501		18603		18329		22798		21375		0	8313.6	27933	4462.1			74077	
PO4---		87109		103240		31.017		7943.4		4023.3		6015.3		17633		22810		0	0	4969	0				0
SO4--		9174.3		8559.5		2847.1		13997		11357		14249		30636		22864		0	5791	292.34	0			0	
SiO3--		580.2		423.83		2424.5		1878.4		1359.2		2042.6		1150.5		2761.3		0	24077	0	0			0	
F-		1967.6		1787.4		5.5034		1132.4		699.45		806.16		1522.3		1604.1		0	254.94	0	78720			0	
Cl-		2044.9		1860.7		2770.2		3022.7		2784.3		2580.1		2018.7		2137.3		0	801.83	104.26	110.32			21.032	
C6H5O7---		0		0		51.018		2082.6		2803.3		3074.1		5636.6		2918		0	0	0	0			0	
EDTA----		0		0		3.0283		1925.2		958.85		2421.6		5219.5		4243.6		0	0	0	0			0	
HEDTA---		0		0		2.3928		3556.6		123.16		4357.1		9305.3		7145.6		0	0	0	0			0	
glycolate-		0		0		0		0		0		0		0		0		0	0	0	0			0	
acetate-		0		0		2.3332		73.963		1168.8		173.24		432.08		638.76		0	0	0	0			0	
oxalate--		0		0		1E-06		5E-05		0.1502		0.7296		1.0771		0.4747		0	0	0	0			0	
DBP		2.9469		2.7795		50.249		1819.7		3306.5		2359.7		4547.1		2679		0	0	538.46	0				0
butanol		1.0403		0.9812		17.738		642.36		1167.2		832.97		1605.1		945.69		0	0	190.08	0				0
NH3		10.06		9.8333		353.72		127.37		108.12		176.92		239.45		1106.9		0	1884.3	0.1804	8721.2			547.75	
NiFe(CN)6--		0		0		0		0		0		0		0		0		0	0	0	0			0	
Pu-239 (µCi/g)		0.0095		0.011		0.0972		0.0766		0.107		0.0746		0.0351		0.0763		0	2.6321	0.004	0.6063	0	0	0	
U-238 (M)		939.73		1164.5		5405.5		2836		3793		2857.7		910.7		2102.7		0	118408	82.768	503.7			0	
Cs-137 (µCi/g)		14.262		12.158		195.28		154.66		133.24		189.97		315.96		192.53		0	2503.7	22.579	1.4979			0	
Sr-90 (µCi/g)		11.26		11.011		176.17		98.112		80.267		117.13		34.059		75.771		0	32841	19.569	1.275			0	

pred. su. ppm	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1
Na	40398.6	40655	40759	36729	45293	27870.8	36517	78243.1	77980.7	77793.1	62600.4	37535.11	59535	74325	67929	37321	17186	28259		67159.91	47516	33297	12322.3
Al	0	0	4835	622.1	0	0	0	0	0	0	636.35	4358.24	11421	23349	26282	15239	0	0		0	19982	15347	0
Fe	104.319	104.23	102.9	104.8	103.39	106.643	104.98	97.343	97.4029	97.4229	0	103.6998	97.466	91.212	91.529	100.5	108.92	106.87		99.41375	97.243	101.21	109.872
Cr	168.349	171.13	260	267.6	205.36	269.103	201.7	145.286	145.377	145.413	0	96.91113	1361.3	1273.9	133.35	143.09	406.86	400.81		371.2424	139.38	144.1	157.785
Bi	0	0	770.1	784.2	774.02	798.119	785.7	0	728.413	728.578	0	776.1434	0	0	0	0	0	0		0	0	0	0
La	0	0	0	0	0	0	783.39	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
Hg	0	0	1.849	1.882	0	0	0	0	0	0	0	0	0	0	1.6438	1.8032	0	0		0	1.7451	1.8163	1.97173
Zr	0	0	252.1	256.7	0	0	0	0	0	0	0	254.0906	0	0	0	0	0	0		0	0	0	269.197
Pb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	271.66	298	0	0		11.0939	288.35	300.11	0
Ni	95.0362	96.608	90.32	92.97	88.329	89.8654	88.868	82.0165	92.0919	92.113	94.7032	98.12095	92.216	86.299	75.28	80.775	103.06	101.11		94.05918	78.681	81.348	89.0726
Sr	0	0	0	0	0	0	164.71	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
Mn	0	0	0	0	0	0	239.09	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
Ca	336.902	336.63	332.3	338.4	333.9	344.408	339.05	314.376	314.569	314.633	323.231	334.9249	314.77	294.83	295.6	324.58	351.77	345.15		321.1197	314.07	326.88	354.861
K	27.9279	28.39	167.3	129.9	240.12	138.091	10026	589.096	616.797	615.24	410.284	153.0264	363.04	625.96	72.34	120.09	120.08	212.47		513.4537	48.029	85.299	8634.46
balance	100.018	100.02	99.37	99.8	99.886	99.9767	100.02	100.026	99.89	99.8804	99.9734	99.46616	98.616	97.156	96.776	98.204	100.07	100.1		100.0528	97.561	98.192	101.567
density	1.07097	1.0715	1.085	1.066	1.0803	1.0473	1.0639	1.14809	1.14739	1.14715	1.11664	1.077022	1.1466	1.2242	1.2199	1.1124	1.026	1.0457		1.12398	1.1497	1.1046	1.01711
vol%solids	12	12	13.7	24.9	6.8	3.4	3.9	2.8	3.7	3.2	1.4	4.8	4.5	1.9	8.1	2.9	2.2	3.9		2.2	8.1	2.9	10.5
void frac.	0.35772	0.2292	0.695	0.791	0.7704	0.94368	0.8339	0.91417	0.93451	0.923	0.89558	0.925071	0.7988	0.5737	0.6508	0.7629	0.8413	0.8077		0.861767	0.8339	0.7631	0.85731
wt.% H₂O	89.0129	88.902	87.74	88.98	85.492	91.1927	84.728	73.5572	73.2867	73.3076	78.1582	88.95057	78.528	73.832	76.881	86.416	94.864	91.551		76.37869	83.498	87.892	95.1018
TOC wt.%C	0	0	0	0	0	0	0.0116	0.00038	0	0	0	0	0	0	0	0	0	0		0	0	0	0
species																							
OH	579.519	580.84	1362	458.1	567.92	1021.69	312.31	384.83	497.809	349.361	755.583	2080.076	172.81	317.31	212.12	177.55	3429.9	3370.7		797.6083	233.41	183.74	4019.14
NO₃	10477.6	11780	32463	31670	72258	41045.9	92778	139476	149727	149758	130766	31410.64	87732	78669	45241	48816	11940	9289.6		142580.6	36865	38284	19308.9
NO₂	823.844	0	9648	11173	61.394	36.1738	0	8704.22	1166.96	1167.24	7013.41	7309.186	34785	46843	55086	12323	11355	25103		9217.672	32004	12038	382.233
CO₃	22050.8	22088	497.6	506.7	499.93	515.667	507.64	9984.96	470.99	471.086	537.779	-113.646	471.3	441.43	442.59	485.98	526.69	516.77		480.7982	470.24	489.42	531.317
PO₄	13304.9	13294	13130	13369	13195	9921.75	4220.4	10779.5	11117.3	11120.1	11072.7	13232.59	0	0	0	0	0	0		8136.205	0	0	0
SO₄	20564.4	20904	5689	5856	4480.2	2467.54	145.4	11876.1	15358.1	15361.9	1378.43	1790.247	1606.3	2373.2	1014.5	1088.6	4096.8	14696		4805.736	1060.4	1096.3	145.739
Si	113.676	115.56	879.9	895.9	884.34	523.06	0	0	832.23	832.419	0	886.7637	363.69	780.04	710.88	0	930.7	913.8		0	495.33	0	0
F	0	4165	4278	3930.5	2103.65	4286.1	0	3485.91	3486.77	0	4036.721	0	0	0	0	0	0		0	0	0	4485.63	
Cl	116.41	118.34	697.3	541.3	1000.9	575.596	995.41	3166.98	2570.95	2564.47	1710.16	637.85	1513.2	2609.1	301.53	500.57	500.51	885.64		2140.196	200.2	355.55	202.236
C₆H₅O₇	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
EDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
HEDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
NTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
glycolate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
acetate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
oxalate	0	0	0	0	0	0	424.68	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
DBP	0	0	0	0	0	0	0	5.56535	0	0	0	0	0	0	0	0	0	0		0	0	0	0
butanol	0	0	0	0	0	0	0	1.96458	0	0	0	0	0	0	0	0	0	0		0	0	0	0
NH₃	1.51678	0	8.257	16.99	0.0013	0.00076	0	12.0036	0.21569	0.21576	0	0.062179	219.05	381.02	11.397	2.1069	114.9	407.03		12.33062	3.9018	1.1451	13065.6
NiFe(CN)6--	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
Pu-239 (μCi/g)																							
U-238 (M)	889.251	888.53	180.4	176.3	23.162	12.3967	0	829.153	829.668	829.857	853.239	175.1375	830.83	777.52	780.23	855.89	928.5	911.02		0	828.93	862.75	567.878
Cs-137 (Ci/L)																							
Sr-90 (Ci/L)																							

pred. su. ppm	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
Na	14900.4	24831.9	34280	75573	47138.4	71790	71800	29594	14894	67467	69469		80996			6769.7	154984	4470.1	14287
Al	0	0	0	5886.5	0	7387.4	7388.5	562.07	2028.2	12113	0		9559.2			0	33160	0	0
Fe	109.009	107.153	105.47	96.523	103.168	96.394	96.408	106.26	108.71	96.023	99.102		93.771			0	0	111.02	109.21
Cr	406.912	400.044	393.69	426.59	385.089	360.23	360.28	844.74	101.28	0.009	0		1245.3			0	0	414.43	407.65
Bi	0	0	0	0	0	0	0	2.3052	0	0	0		21.438			0	0	0	0
La	0	0	0	0	0	0	0	0	0	0	0		0.0003			0	0	0	0
Hg	0	0	0	0	0	0	0	0.0694	0	0	0		0.2141			0	0	0	0
Zr	0	0	0	0	0	0	0	0.0358	0	0	0		5.3928			0	0	0	0
Pb	0	0	0	0	306.2	0	0	11.721	0.2018	0	0		29.409			0	0	0	0
Ni	103.138	101.381	99.786	91.324	97.6116	91.202	91.215	100.53	102.79	90.851	0		88.836			0	0	105.04	103.32
Sr	0	0	0	0	0	0	0	0	0	0	0		6E-05			0	0	0	0
Mn	0	474.356	45.869	0	0	0	0	0	139.14	0	0		178.89			70.104	0	0	0
Ca	352.05	346.053	340.61	311.72	181.799	311.36	311.41	343.15	351.07	310.11	320.28		315.86			0	0	358.54	352.68
K	38.2459	507.604	204.34	619	3210.1	940.92	941.06	275.57	105.17	454.09	472.27		695.87			49.892	494.79	26.877	26.438
balance	100.773	100.32	100.28	99.584	100.121	99.18	99.351	99.869	99.826	98.607	100.03		99.354			99.467	96.549	100.06	100.06
density	1.02463	1.04215	1.059	1.1579	1.08258	1.1592	1.159	1.052	1.0276	1.1634	1.1267		1.1808			1.0188	1.5052	1.0067	1.0234
vol%solids	0.6	1.1	0.6	2.3	1.2	5.8	5.8	3.1	0.5	0.68	2.6		1			13.6	80	1	1
void frac.	0.62713	0.80232	0.6254	0.549	0.82257	0.9349	0.9349	0.8307	0.8459	0.5749	0.8505		0.6426			1	0.8	0.7152	0.7152
wt.% H2O	94.6986	92.3315	88.776	74.379	82.2641	74.482	76.861	90.678	95.597	77.458	73.58		74.065			94.733	51.848	98.281	95.973
TOC wt.%C	0.85377	0.32255	0.2522	0	2.28832	0.0234	0.1035	0	0.0701	0.5069	5.4534		0.4166			0	0	0	0
species																			
OH	674.765	678.289	1029.5	4366.4	1856.5	561.84	725.65	1042.1	3407	2844.7	2682.4		6301.5			-8235	7448.8	873.52	859.24
NO3	13951.4	22511.6	55323	150021	57558.1	147808	50329	18950	9109.9	87097	28953		76422			48685	120136	9680.1	9521.9
NO2	449.951	442.357	435.33	562.03	3645.64	453.25	72792	19625	5869.4	3749.2	5086.1		40020			0	100851	1099.8	631.08
CO3	12382.9	22511.6	16752	9975.6	272.199	466.19	466.26	8320.7	525.64	13898	13188		11512			0	15947	117.36	115.44
PO4	0	0	0	11.603	0	7401.4	7402.5	2117.3	0	818.7	0		1095.8			0	7511.3	0	13928
SO4	375.846	369.502	363.63	570.07	5993.36	4491.8	4492.5	7467.5	1496.9	3643.6	8730.2		10441			0	2279.2	382.79	376.53
Si	0	0	0	0	0	0	0	0	908.59	930.11	821.06		847.99			0	0	0	0
F	0	0	0	0	0	0	1974.3	1974.6	7.1221	0	0		98.598			0	901.64	0	0
Cl	159.418	235.09	715.67	3538.7	1612.78	1946.2	1946.4	601.7	438.39	1892.8	1968.5		2191.6			0	3295.4	112.03	110.2
C6H5O7	0	0	0	0	7000.47	0	0	0	1841.2	2444.7	0		4489.9			0	0	0	0
EDTA	0	0	0	0	21335.4	0	0	0	0	0	0		38505			122.48	0	0	0
HEDTA	0	0	0	0	0	0	0	0	0	0	0		73267			0	0	0	0
NTA	0	0	0	0	0	0	0	0	0	0	0		0			0	0	0	0
glycolate	0	0	0	0	0	0	0	0	0	0	0		12934	20053		409.13	0	0	0
acetate	0	0	0	0	27863.6	0	0	0	0	0	0		0		0	0	0	0	
oxalate	0	0	0	0	0	0	0	0	0	0	0		0.0001			0	0	0	0
DBP	12449	4703.19	3677.8	0	0	341.18	1509.1	0	0	0	5.6794		3164.9			0	0	0	0
butanol	4394.52	1660.24	1298.3	0	0	120.44	532.71	0	0	0	2.0049		1117.2			0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0		0			0	0	0	0
NH3	0	0	0	0	4.28626	0.0023	923.06	237.75	46.085	3.1191	15.617		367.46			0	0	0	0
NiFe(CN)6--	0	0	0	0	0	0	0	0	0	0	0		0			0	0	0	0
Pu-239 (µCi/g)																			
U-238 (M)	0	0	0	0	0	439.67	821.82	656.22	926.65	818.54	845.38		838.43			0	0	0	0
Cs-137 (Ci/L)																			
Sr-90 (Ci/L)																			

pred. su. ppm	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltCk	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	A2-SltSlr	P3	PL2	CWZr2	BP/Cplx	BP/NCplx	PASF
Na	94938		95062		112301		141650		140834		163155		183752		172197		0	57337	14409	11112			1376.5	
Al	6622.3		5220.6		30949		25455		29969		29420		29643		28370		0	7780.6	0	0			0	
Fe	92.297		92.749		81.998		21.201		77.543		17.285		31.791		36.828		0	101.03	109.12	109.81			111.52	
Cr	338.87		310.66		1146.1		1138.4		1083		1070		1080.1		1078.8		0	0	407.1	0				0
Bi	690.75		694.14		1.3262		322.66		167.41		256.83		581.59		562.69		0	0	0	0				0
La	0		0		3E-06		0.0001		0.3993		2.1129		3.9997		1.6451		0	0	0	0				0
Hg	1.6576		1.6657		0.1999		1.5366		1.3925		1.4117		1.3941		1.3411		0	0	0	1.9734				0
Zr	226.14		227.24		0.2809		92.908		24.106		68.828		193.27		184.71		0	0	0	269.04				0
Pb	0		0		32.74		160.55		230.14		194.76		500.15		259.81		0	0	8.8095	0				0
Ni	87.326		87.753		77.561		52.18		73.364		44.478		53.42		59.11		0	0	103.14	0				0
Sr	0		0		7E-07		3E-05		0.0839		0.4442		0.841		0.3459		0	0	0	0				0
Mn	0		0		2.5374		39.994		159.15		38.677		47.49		75.422		0	0	322.59	0				0
Ca	298.08		299.54		264.93		188.38		250.42		162.05		190.74		214.45		0	326.47	352.42	354.88			360.2	
K	674.19		637.24		835.84		1355.2		1312.4		1798.7		4447.1		4559.4		0	392.26	262.11	8631.8			7.8142	
balance	99.104		99.325		96.261		97.368		96.944		97.003		97.689		97.567		100	100.38	100.06	101.42			100.1	
density	1.2104		1.2044		1.3622		1.4203		1.4414		1.5186		1.5896		1.5409		1	1.1056	1.0241	1.0171			1.002	
vol%solids	17.683		11.446		13.82		55.385		48.966		55.173		99		45.523		90	3.9	2	10.5			0.6	
void frac.	0.7496		0.731		0.8732		0.7922		0.779		0.7221		0.5624		0.6159		0.5	0.789	0.8882	0.8503			0.7842	
wt.% H2O	68.357		68.569		60.8		54.129		53.953		47.268		40.222		44.166		100	87.097	95.386	94.866			99.388	
TOC wt.%C	0.0003		0.0003		0.0083		0.7586		0.6505		1.0953		2.8233		1.7719		0	0	0.048	0				0
species																								
OH	340.97		1080.1		50.39		4831.2		4896.8		5105.7		11020		8174.5		0	22078	272.04	1800.6			271.72	
NO3	143452		144155		127387		120244		120512		112760		114604		111723		0	9729.5	15180	23953			4102	
NO2	15155		15134		71676		64703		71370		101589		100139		102483		0	18689	751.86	356.52			0	
CO3	8959.3		9625.5		670.58		16765		15427		16613		17660		17102		0	488.81	6516.6	531.34			29.313	
PO4	11772		11829		38.884		10058		5797.1		9444		9498.4		9413.5		0	0	6460.8	0				0
SO4	15455		15103		3569.1		19728		16364		22370		24019		24518		0	11809	380.11	0			0	
Si	789.2		747.84		701.28		549.23		662.84		485.9		546.02		584.97		0	863.87	0	0			0	
F	3314.6		3153.8		6.8992		1596.1		1007.8		1265.7		3064.5		3013.7		0	519.86	0	4483.2			0	
Cl	3444.8		3283.2		3472.8		4260.3		4011.8		4050.7		4063.8		4015.6		0	1635	135.57	162.8			32.571	
C6H5O7	0		0		63.956		2935.3		4039.3		4826.4		11347		5482.4		0	0	0	0			0	
EDTA	0		0		3.7963		2713.5		1381.6		3801.9		10507		7972.9		0	0	0	0			0	
HEDTA	0		0		2.9996		5013		177.45		6840.6		18732		13425		0	0	0	0			0	
NTA	0		0		0		0		0		0		0		0		0	0	0	0			0	
glycolate	0		0		35.841		4194.9		1129		5890.9		14699		7791.5		0	0	0	0			0	
acetate	0		0		2.9249		104.25		1684.1		271.99		869.8		1200.1		0	0	0	0			0	
oxalate	0		0		2E-06		8E-05		0.2164		1.1454		2.1683		0.8918		0	0	0	0			0	
DBP	4.9643		4.9045		62.993		2564.8		4764.3		3704.7		9153.5		5033.3		0	0	700.12	0				0
butanol	1.7524		1.7313		22.237		905.38		1681.8		1307.8		3231.2		1776.8		0	0	247.15	0				0
	0		0		0		0		0		0		0		0		0	0	0	0			0	
NH3	16.946		17.351		443.43		179.53		155.78		277.76		482.04		2079.7		0	265.19	0.2457	13076			849.37	
NiFe(CN)6--	0		0		0		0		0		0		0		0		0	0	0	0			0	
Pu-239 (µCi/g)																								
U-238 (M)	786.77		790.63		699.32		567.36		660.98		513.43		496.15		614.01		0	861.72	107.62	743.33			0	
Cs-137 (Ci/L)																								
Sr-90 (Ci/L)																								

	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWzr1	
B	7		2990		219	194		4472	172															
B'																								
BY	1		110	1	3	13	5	501	285	819	470	2	23	7	15	17	553	700		159	3,723	13,203		
BY'																								
A1			4673	66	2	9	5	66		18	20	5	479	25	511	22	326	139		20	19		1650	
A1'																								
T1	319		3059	962	79			6465					1034											
T1'																								
R				1					3	2	2		7,796	6,697	457	465	2	1		1	9	75		
R'																								
T2			1098	884	63	176		4420	245	105	49	318	4,361	869	1,082	1,859	2110	1239		110	312	2606		
T2'																								
S1			538	172	14	146	37	1091	142	134	107	115	10452	643	1352	750	941	495		133	436	2071		
S1'																								
S2			113	2319		2	1	22	10	8	3	1			7	129	70	36		7	11	46		
S2'																								
A2																								
A2'																								
CSR in	0.0	0.0	5.0	10.5	0.4	71.3	0.0	292.3	58.1	24.2	5.7	8.5	2681.7	1728.8	36.8	28.2	20318.0	5963.5	0.0	625.4	259.8	1433.6	15.2	
AR in	0.0	0.0	0.5	0.3	0.1	13.4	0.0	26.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2775.4	1164.8	0.0	145.3	19.9	189.1	0.0	
			12581	4405	380	540	48	17037	857	1086	651	1475	23111	8241	3424	3242	4002	2610	0	430	4510	18001	1650	
frac NO3- left in su	0.904	1	0.925	0.878	0.9989	0.9988	1	0.92241	0.9896	0.9896	1	0.999048	0.6517	0.5548	0.9779	0.982	0.44823	0.2184	1	0.9231	0.9867	0.9897	0.99577	
frac. NO2 to NH3 in su	0.002	0	0.002	0.003	3E-05	3E-05	0	0.00194	0.00025	0.00025	0	2.29E-05	0.0102	0.014	0.0005	0.0004	0.01907	0.0359	0	0.0019	0.0003	0.0002	0.0001	
frac NO3- left in sl	0.965	1	0.947	0.903	0.9991	0.9989	1	0.9277	0.95117	0.94532	0.0045	0.109468	0.0271	1E-08	0.9855	0.9862	1.5E-10	1E-13	1	0.8836	0.9889	0.9921	0.99637	
frac. NO2 to NH3 in sl	9E-04	0	0.001	0.002	2E-05	3E-05	0	0.0018	0.0012	0.00135	0.12165	0.051706	0.0829	0.3565	0.0003	0.0003	0.41876	0.5103	0	0.003	0.0003	0.0002	8.7E-05	
0.05 mol NO2/mol NO3/Ci/yr.																								
2.49 gal TBP lost per ton fuel																								
1.20E-03 mol NH3/mol NO2/Ci/yr.																								
su ionic strength	4.451	1.762	4.055	6.138	5.2509	4.3755	4.629	3.29621	2.73121	2.72936	1.8935	6.146414	5.1564	6.9381	6.9819	6.8541	6.79521	6.8578	0.27	6.9855	6.8976	6.8419	6.7763	
complexability	0.923	0.928	0.373	0.374	0.3596	0.2547	0.105	0.59363	0.46108	0.4611	0.28641	0.318165	0.0282	0.0393	0.0219	0.0216	0.05276	0.169	0	0.2578	0.0217	0.0216	0.01055	

	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
B																		24	
B'																			
BY	382	43	4,771		583	304	634	21	470	570			6649					575	325
BY'																			
A1	79	181	55	18	38	4		777	751	608	713		556					125	65
A1'																			
T1																			
T1'																			
R	1		56		1	1	2		2	21			111					6	
R'																			
T2	320	938	900	1,637	47	100	27	429	403	2389	806		6,038					4598	355
T2'																			
S1	233	380	676	164	107	61	18	710	337	2574	828		8345					2,634	1,444
S1'																			
S2	16	37	16		5	3	1	167	127	134	143		146					33	14
S2'																			
A2																			
A2'																			
CSR in	3098.5	7972.4	552.4	0.0	3.4	11.3	0.4	4100.5	5390.6	582.4	70.1	0.0	888.4	0.0	0.0	0.0	0.0	763.3	0.2
AR in	464.6	1692.2	153.5	0.0	0.0	0.0	0.0	157.9	4785.2	1.2	42.0	0.0	58.0	0.0	0.0	0.0	0.0	96.0	0.0
	1031	1579	6474	1819	781	473	682	2104	2090	6296	2490	0	21845	0	0	0	0	7995	2203
frac NO3- left in su	1	1	1	1	0.92989	0.9995	0.3403	0.6302	0.5549	0.9507	0.8212	1	0.8381	1	1	1	1	1	1
frac. NO2 to NH3 in su	0	0	0	0	0.00174	1E-05	0.0255	0.011	0.014	0.0012	0.0047	0	0.0042	0	0	0	0	0	0
frac NO3- left in sl	1	1	1	1	1.8E-17	0.9995	4E-07	2E-08	6E-23	0.0009	9E-06	1	0.8927	1	1	1	1	1	1
frac. NO2 to NH3 in sl	0	0	0	0	0.60361	1E-05	0.296	0.3499	0.7066	0.1546	0.2438	0	0.0027	0	0	0	0	0	0
0.05																			
2.49																			
1.20E-03																			
su ionic strength	0.98556	1.27621	1.3986	7.0082	1.76161	2.022	2.1248	6.8581	6.7857	7.0002	7.1332	0	7.1099	0	0	0.5519	3.3104	0.5127	1.074
complexability	0.27619	0.41829	0.3182	0.1996	0.9844	0.2458	0.2522	0.2746	0.045	0.5643	2.1571	0	0.4675	0	0	0	0.6738	0.006	0.3062

	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltCk	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	A2-SltSlr	P3	PL2	CWZr2	BP/Cplx	BP/NCplx	
B																								
B'		4,445																						
BY		637		15		13																		
BY'										8,124														
A1		48		20				850		2,180		1353												
A1'																		4,668						
T1																								
T1'				6,675																				
R		1		6		24																		
R'						7,706																		
T2		56		2,123		239																		
T2'							10,828																	
S1		152		514		597		4,110		56														
S1'											11,364													
S2		11		10			1407		377		3,673													
S2'												3,562												
A2																		0						
A2'																								
CSR in	0.0	125.1	0.0	335.9	0.0	2441.7	0.0	0.0	0.0	39.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
AR in	0.0	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	0	5350	0	9363	0	8579	0	17195	0	10737	0	16390	0	3562	0	4668	0	0	0	0	0	0	0	0
frac NO3-left in su	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0.2832	0.9739	0.998	1	1
frac. NO2 to NH3 in su	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0298	0.0006	5E-05	0	0
frac NO3-left in sl	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1E-13	0.9768	0.9983	1	1
frac. NO2 to NH3 in sl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5087	0.0006	4E-05	0	0
0.05																								
2.49																								
1.20E-03																								
su ionic strength	0	5.3805	0	5.768	0	7.2218	0	6.8675	0	7.4358	0	6.8772	0	7.353	0	7.5363	0	0	0	7.0292	2.8468	6.7708	0	0
complexability	0	0.6755	0	0.6826	0	0.0691	0	1.2641	0	0.9796	0	1.5005	0	2.336	0	1.8525	0	0	0	0.1449	0.258	0.009	0	0

	PASF
B	
B'	
BY	
BY'	
A1	
A1'	
T1	
T1'	
R	
R'	
T2	
T2'	
S1	
S1'	
S2	
S2'	
A2	
A2'	
CSR in	0.0
AR in	0.0
	0
frac NO3- left in su	1
frac. NO2 to NH3 in su	0
frac NO3- left in sl	1
frac. NO2 to NH3 in sl	0
	0.05
	2.49
	1.20E-03
su ionic strength	0.3158
complexability	0.0005